

SPP HPE Custom Image vibsddepot mapping for Gen9 and later

This document does not apply to HPE Superdome servers. For information on HPE Superdome, see the following links:

- [HPE Integrity Superdome X](#)
- [HPE Superdome Flex](#)

Information on HPE Synergy supported VMware ESXi OS releases, HPE ESXi Custom Images and HPE Synergy Custom SPPs is available at:

- [VMware OS Support Tool for HPE Synergy](#)

Information on HPE Synergy Software Releases is available at:

- [HPE Synergy Software Releases - Overview](#)

HPE Custom Image to SPP Mapping

Use the following links to view the table that maps the HPE Custom Images for the OS release to the vibsddepot directory and the matching SPP release for Gen9 and later servers. The vibsddepot directory contains all the drivers and software added to the referenced HPE Custom Image, or the drivers and software for a hot-fix for the referenced HPE Custom Image as described in the footnotes. The SPP contains the drivers included in the referenced HPE Custom Image and the matching FW components. Starting with the 2018.03.0 SPP, the HPE value-add software included in the referenced HPE Custom Image is also included in the SPP.

The HPE Custom Image and HPE Add-on are available at <https://www.hpe.com/info/esxidownload>.

Use the SPP link in the table to view detailed information on where to obtain the appropriate firmware, drivers and software for the supported OS releases and server generations for the SPP release. SPP documentation and downloads for all the SPP releases can be found at <https://www.hpe.com/servers/spp/download>. The SPP Component Release Notes contain a detailed list of all the firmware and driver components included in the SPP.

The tables map the HPE Custom Image to the SPP that matches the content of that HPE Custom Image. For information on how to update to a newer SPPs, see section [Updating to Newer SPPs](#) below.

[VMware vSphere 9.0](#)

[VMware vSphere 8.0 U3](#)

[VMware vSphere 8.0 U2](#)

[VMware vSphere 8.0 U1](#)

[VMware vSphere 8.0](#)

[VMware vSphere 7.0 U3](#)

[VMware vSphere 7.0 U2](#)

[VMware vSphere 7.0 U1](#)

[VMware vSphere 7.0](#)

SPP and HPE Software and Driver Mapping

Use the following links to view detailed information on where to obtain the appropriate firmware, drivers and software for the supported OS releases and server generations for the SPP release. Starting with the 2018.03.0 SPP, the HPE value-add software included in the HPE Custom Image is also included in the SPP.

The tables map the HPE Custom Image to the SPP that matches the content of that HPE Custom Image. For information on how to update to a newer SPPs, see section [Updating to Newer SPPs](#) below.

[Gen12 SPP 2025.07.00.00](#)
[Gen11 SPP 2025.07.00.00](#)
[Gen10 SPP 2025.07.00.00](#)
[Gen12 SPP 2025.05.00.00](#)
[Gen11 SPP 2025.05.00.00](#)
[Gen10 SPP 2025.05.00.00](#)
[Gen12 SPP 2025.03.00.00](#)
[Gen11 SPP 2025.03.00.00](#)
[Gen10 SPP 2025.03.00.00](#)
[Gen11 SPP 2025.01.00.00](#)
[Gen10 SPP 2025.01.00.00](#)
[Gen11 SPP 2024.11.00.00](#)
[Gen10 SPP 2024.11.00.00](#)
[Gen11 SPP 2024.09.00.00](#)
[Gen10 SPP 2024.09.00.00](#)
[Gen11 Patch Bundle version 2024.04.00.01](#)
[Gen10 Patch Bundle version 2024.04.00.01](#)
[Gen11 SPP 2024.04.00.00](#)
[Gen10 SPP 2024.04.00.00](#)
[Gen11 SPP 2023.10.00.00](#)
[Gen10 Patch Bundle version 2023.09.00.01](#)
[Gen11 Patch Bundle version 2023.04.00.05](#)
[Gen10 SPP 2023.09.00.00](#)
[Gen11 SPP 2023.04.00.00](#)
[Gen10 SPP 2023.03.00.00](#)
[Gen11 SPP 2023.02.0](#)
[Gen10 Patch Bundle 2 Supplement](#)
[Gen11 SPP 2022.12.0](#)
[Gen10 Patch Bundle 1 Supplement](#)
[2022.09.01](#)
[2022.03.1/Gen9.1](#)
[2021.10.1](#)
[VUP 1.4.1.1](#)
[VUP 1.4.2.1](#)
[2021.05.1](#)
[2021.04.1](#)

[VUP 1.4.2](#)
[VUP1.4.1](#)
[VUP 1.3.1](#)
[VUP 1.2.2](#)
[VUP 1.2.1](#)
[2020.09.3](#)
[VUP 1.1.2](#)
[VUP 1.0](#)
[2020.03.2](#)

Updating to newer SPPs

The table in the Important Notes section in the VMware Software Recipe documents available on <https://vibsdepot.hpe.com> lists all previously released HPE Custom Images that can be updated using the referenced SPP and vibsdepot directories. For example, the entry below from the Nov 2023 VMware Software Recipe for the Gen11 Service Pack for ProLiant (SPP) Version 2023.10.00.00 and the Gen10/Gen10 Plus Patch Bundle Version 2023.09.00.01 indicates that the HPE Custom Image for VMware vSphere 8.0 Update 1 (14 Sep 2023) can be updated using the Gen11 Service Pack for ProLiant (SPP) Version 2023.10.00.00 and the Gen10/Gen10 Plus Patch Bundle Version 2023.09.00.01 and can also use the nov2023 vibsdepot directory to update the drivers and software to match the FW in the Gen11 Service Pack for ProLiant (SPP) Version 2023.10.00.00 and the Gen10/Gen10 Plus Patch Bundle Version 2023.09.00.01.

OS Version	HPE Custom Image	HPE Custom Image Identifier	Driver Updates	Software Updates
vSphere 8.0 Update 1a	HPE Custom Image for VMware vSphere 8.0 Update 1 (14 Sep 2023)	HPE-CustomAddOn_801.0.0.11.4.0	Driver Updates are required. Required drivers are available from: Gen10/10+ SPP 2023.09.00.01 Gen11 SPP 2023.10.00.00 Offline bundle updates at: https://vibsdepot.hpe.com/hpe/nov2023/esxi-800-devicedrivers	Software Updates are required. Required software is available from: Gen10/10+ SPP 2023.09.00.01 Gen11 SPP 2023.10.00.00 Offline bundle updates at: https://vibsdepot.hpe.com/hpe/nov2023/esxi-800-bundles

VMware vSphere 9.0

No Gen9 support.

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)
 - SPP 2025.03.00.00 or newer requires COM4VC 1.4 or newer.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

HPE Custom Image	HPE Custom Image Profile Name	vibsdepot directory/HPE ESXi Add-on	SPP	Comments	vSAN Support
HPE Custom Image for VMware vSphere 9.0 (Jun 2025)	HPE-Custom-AddOn_900.0.0.12.1.0	https://vibsdepot.hpe.com/hpe/jun2025 HPE ESXi 9.0 Add-on (900.0.0.12.1.0)	Gen12 SPP 2025.07.00.00 Gen11 SPP 2025.07.00.00 Gen10 SPP 2025.07.00.00	Server/option updates	smartpqi: Yes Isi-mr3: Yes
HPE Custom Image for VMware vSphere 9.0 (Jun 2025)	HPE-Custom-AddOn_900.0.0.12.1.0	https://vibsdepot.hpe.com/hpe/jun2025 HPE ESXi 9.0 Add-on (900.0.0.12.1.0)	Gen12 SPP 2025.05.00.00 Gen11 SPP 2025.05.00.00 Gen10 SPP 2025.05.00.00	9.0 release	smartpqi: Yes Isi-mr3: Yes
HPE Custom Image for VMware vSphere 9.0 (Jun 2025)	HPE-Custom-AddOn_900.0.0.12.1.0	https://vibsdepot.hpe.com/hpe/jun2025 HPE ESXi 9.0 Add-on (900.0.0.12.1.0)	Gen12 SPP 2025.03.00.00 Gen11 SPP 2025.03.00.00 Gen10 SPP 2025.03.00.00	9.0 release	smartpqi: Yes Isi-mr3: Yes

¹ This SPP is not supported by the currently released Compute Ops Management HSM (COM4VC). It will be supported in a future Compute Ops Management HSM (COM4VC) release.

VMware vSphere 8.0 U3

No Gen9 support.

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)
 - SPP 2025.03.00.00 or newer requires COM4VC 1.4 or newer.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

HPE Custom Image	HPE Custom Image Profile Name	vibsdepot directory/HPE ESXi Add-on	SPP	Comments	vSAN Support
HPE Custom Image for VMware vSphere 8.0 U3 (Apr 2025) ³	HPE-Custom-AddOn_803.0.0.12.1.0	https://vibsdepot.hpe.com/hpe/apr2025 HPE ESXi 8.0 U3 Add-on (803.0.0.12.1.0)	Gen12 SPP 2025.07.00.00 Gen11 SPP 2025.07.00.00 Gen10 SPP 2025.07.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U3 (Apr 2025) ³	HPE-Custom-AddOn_803.0.0.12.1.0	https://vibsdepot.hpe.com/hpe/apr2025 HPE ESXi 8.0 U3 Add-on (803.0.0.12.1.0)	Gen12 SPP 2025.05.00.00 Gen11 SPP 2025.05.00.00 Gen10 SPP 2025.05.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U3 (Apr 2025) ³	HPE-Custom-AddOn_803.0.0.12.1.0	https://vibsdepot.hpe.com/hpe/apr2025 HPE ESXi 8.0 U3 Add-on (803.0.0.12.1.0)	Gen12 SPP 2025.03.00.00 Gen11 SPP 2025.03.00.00 Gen10 SPP 2025.03.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes

HPE Custom Image for VMware vSphere 8.0 U3 (Feb 2025) ²	HPE-Custom-AddOn_803.0.0.11.9.0	https://vibsdepot.hpe.com/hpe/feb2025 HPE ESXi 8.0 U3 Add-on (803.0.0.11.9.0)	Gen11 SPP 2025.01.00.00 Gen10 SPP 2025.01.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U3 (Nov 2024) ¹	HPE-Custom-AddOn_803.0.0.11.8.0	https://vibsdepot.hpe.com/hpe/nov2024 HPE ESXi 8.0 U3 Add-on (803.0.0.11.8.0)	Gen11 SPP 2024.11.00.00 Gen10 SPP 2024.11.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U3 (Nov 2024) ¹	HPE-Custom-AddOn_803.0.0.11.8.0	https://vibsdepot.hpe.com/hpe/nov2024 HPE ESXi 8.0 U3 Add-on (803.0.0.11.8.0)	Gen11 SPP 2024.09.00.00 Gen10 SPP 2024.09.00.00	VMware patch updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U3 (Sep 2024)	HPE-Custom-AddOn_803.0.0.11.8.0	https://vibsdepot.hpe.com/hpe/sep2024 HPE ESXi 8.0 U3 Add-on (803.0.0.11.8.0)	Gen11 SPP 2024.09.00.00 Gen10 SPP 2024.09.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U3 (June 2024)	HPE-Custom-AddOn_803.0.0.11.7.0	https://vibsdepot.hpe.com/hpe/jun2024 HPE ESXi 8.0 U3 Add-on (803.0.0.11.7.0)	Gen11 Patch Bundle version 2024.04.00.01 Gen10 Patch Bundle version 2024.04.00.01	8.0 U3 release	smartpqi: Yes lsi-mr3: Yes

¹ Includes VMware vSphere 8.0 U3b. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80u3b-release-notes.html>

² Includes VMware vSphere 8.0 U3c. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80u3c-release-notes.html>

³ Includes VMware vSphere 8.0 U3e. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80u3e-release-notes.html>

⁴ This SPP is not supported by the currently released OneView HSM. It will be supported in a future OneView HSM release.

⁵ This SPP is not supported by the currently released Compute Ops Management HSM (COM4VC). It will be supported in a future Compute Ops Management HSM (COM4VC) release.

VMware vSphere 8.0 U2

No Gen9 support.

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html)
 - SPP 2025.03.00.00 or newer requires COM4VC 1.4 or newer.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#). vSAN support information added starting with Gen11 SPP 2023.10.00.00 and Gen10 Patch Bundle version 2023.09.00.01 releases. For previously released vSAN support, refer to VCG.

HPE Custom Image	HPE Custom Image Profile Name	vibsdepot directory/HPE ESXi Add-on	SPP	Comments	vSAN Support
HPE Custom Image for VMware vSphere 8.0 U2 (Aug 2024) ²	HPE-Custom-AddOn_802.0.0.11.6.0	https://vibsdepot.hpe.com/hpe/aug2024 HPE ESXi 8.0 U2 Add-on (802.0.0.11.6.0)	Gen11 SPP 2024.04.00.00 Gen10 SPP 2024.04.00.00	VMware patch updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U2 (May 2024) ¹	HPE-Custom-AddOn_802.0.0.11.6.0	https://vibsdepot.hpe.com/hpe/may2024 HPE ESXi 8.0 U2 Add-on (802.0.0.11.6.0)	Gen11 SPP 2024.04.00.00 Gen10 SPP 2024.04.00.00	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U2 (Nov 2023)	HPE-Custom-AddOn_802.0.0.11.5.0	https://vibsdepot.hpe.com/hpe/nov2023 HPE ESXi 8.0 U2 Add-on (802.0.0.11.5.0)	Gen11 SPP 2023.10.00.00 Gen10 Patch Bundle version 2023.09.00.01	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 8.0 U2 (Sep 2023)	HPE-Custom-AddOn_802.0.0.11.4.0	https://vibsdepot.hpe.com/hpe/sep.21.2023 HPE ESXi 8.0 U2 Add-on (802.0.0.11.4.0)	Gen11 Patch Bundle version 2023.04.00.05 Gen10 SPP 2023.09.00.00	8.0 U2 release	Refer to VCG.

- ¹ Includes VMware vSphere 8.0 U2b. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80u2b-release-notes.html>
- ² Includes VMware vSphere 8.0 U2c. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80u2c-release-notes.html>

VMware vSphere 8.0 U1

No Gen9 support.

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

HPE Custom Image	HPE Custom Image Profile Name	vibsdepot directory/HPE ESXi Add-on	SPP	Comments
HPE Custom Image for VMware vSphere 8.0 U1 (Sep 2023) ¹	HPE-Custom-AddOn_801.0.0.11.4.0	https://vibsdepot.hpe.com/hpe/sep2023 HPE ESXi 8.0 U1 Add-on (801.0.0.11.4.0)	Gen11 Patch Bundle version 2023.04.00.05 Gen10 SPP 2023.09.00.00	Server/option updates
HPE Custom Image for VMware vSphere 8.0 U1 (Aug 2023) ¹	HPE-Custom-AddOn_801.0.0.11.3.2	https://vibsdepot.hpe.com/hpe/aug2023 HPE ESXi 8.0 U1 Add-on (801.0.0.11.3.2)	Gen11 SPP 2023.04.00.00 Gen10 SPP 2023.03.00.00	Server/option updates
HPE Custom Image for VMware vSphere 8.0 U1 (Jun 2023) ¹	HPE-Custom-AddOn_801.0.0.11.3.1	https://vibsdepot.hpe.com/hpe/jun2023 HPE ESXi 8.0 U1 Add-on (801.0.0.11.3.1)	Gen11 SPP 2023.04.00.00 Gen10 SPP 2023.03.00.00	VMware patch updates
HPE Custom Image for VMware vSphere 8.0 U1 (Apr 2023)	HPE-Custom-AddOn_801.0.0.11.3.0	https://vibsdepot.hpe.com/hpe/apr.18.2023 HPE ESXi 8.0 U1 Add-on (801.0.0.11.3.0)	Gen11 SPP 2023.04.00.00 Gen10 SPP 2023.03.00.00	8.0 U1 release

¹ Includes VMware vSphere 8.0 U1a. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80u1a-release-notes.html>

VMware vSphere 8.0

No Gen9 support.

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](https://support.hpe.com/hpsc/public/docDisplay?docId=emr_na-a00118707en_us)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpsc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpsc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](https://support.hpe.com/hpsc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html)

HPE Custom Image	HPE Custom Image Profile Name	vibsdepot directory/HPE ESXi Add-on	SPP	Comments
HPE Custom Image for VMware vSphere 8.0 (Aug 2023) ²	HPE-Custom-AddOn_800.0.0.11.3.1	https://vibsdepot.hpe.com/hpe/aug2023 HPE ESXi 8.0 Add-on (800.0.0.11.3.1)	Gen11 SPP 2023.04.00.00 Gen10 SPP 2023.03.00.00	Server/option updates
HPE Custom Image for VMware vSphere 8.0 (Apr 2023) ²	HPE-Custom-AddOn_800.0.0.11.3.0	https://vibsdepot.hpe.com/hpe/apr2023 HPE ESXi 8.0 Add-on (800.0.0.11.3.0)	Gen11 SPP 2023.04.00.00 Gen10 SPP 2023.03.00.00	Server/option updates
HPE Custom Image for VMware vSphere 8.0 (Feb 2023) ¹	HPE-Custom-AddOn_800.0.0.11.2.0	https://vibsdepot.hpe.com/hpe/feb2023 HPE ESXi 8.0 Add-on (800.0.0.11.2.0)	Gen11 SPP 2023.02.0 Gen10 Patch Bundle 2 Supplement	Server/option updates
HPE Custom Image for VMware vSphere 8.0 (Dec 2022)	HPE-Custom-AddOn_800.0.0.11.1.0	https://vibsdepot.hpe.com/hpe/dec2022 HPE ESXi 8.0 Add-on (800.0.0.11.1.0)	Gen11 SPP 2022.12.0 Gen10 Patch Bundle 1 Supplement	Server/option updates
HPE Custom Image for VMware vSphere 8.0 (Oct 2022)	HPE-Custom-AddOn_800.0.0.10.10.0	https://vibsdepot.hpe.com/hpe/oct2022 HPE ESXi 8.0 Add-on (800.0.0.10.10.0)	2022.09.01	VMware IA/GA release

- ¹ Includes VMware vSphere 8.0a. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80a-release-notes.html>
- ² Includes VMware vSphere 8.0b. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/8-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-80b-release-notes.html>

VMware vSphere 7.0 U3

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

Information on the HPE recommended combinations of VMware Base Image, HPE AddOn and HPE SPP/VUP to use with vLCM/HSM is available at: [HPE Recommended vLCM Desired Image Definitions](#).

Starting from HPE VMware ESXi 7.0 U3 Custom Image, the OEM build vib is no longer included, and hence cannot be used as a Custom Image Identifier. The Custom Image Profile Name now replaces the OEM-build vib as the Custom Image Identifier.

HPE removed all previously released ESXi 7.0 U3 content from vibstap in alignment with the VMware announcement that ESXi 7.0 Update 3, ESXi 7.0 Update 3a, and ESXi 7.0 Update 3b were removed from all online and offline download portals on November 18th 2021. Please see [KB 86398](#) for further details. The below information is for the HPE deliverables based on the new ESXi 7.0 U3c and forward releases.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#). vSAN support information added starting with Gen11 SPP 2023.10.00.00 and Gen10 Patch Bundle version 2023.09.00.01 releases. For previously released vSAN support, refer to VCG.

HPE Custom Image	HPE Custom Image Profile Name	vibstap directory/HPE ESXi Add-on	SPP	Comments	vSAN Support
HPE Custom Image for VMware vSphere 7.0 U3 (Feb 2025) 5,6,13,19,22,30	HPE-Custom-AddOn_703.0.0.11.9.0 ^{19,22}	https://vibstap.hpe.com/hpe/feb2025 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.9.0) ^{4,10,19,22}	Gen11 SPP 2025.01.00.00 ^{19,22} Gen10 SPP 2025.01.00.00 ^{19,22}	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 7.0 U3 (Sep 2024) 5,6,13,19,22,29	HPE-Custom-AddOn_703.0.0.11.8.0 ^{19,22}	https://vibstap.hpe.com/hpe/sep2024 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.8.0) ^{4,10,19,22}	Gen11 SPP 2024.11.00.00 ^{19,22} Gen10 SPP 2024.11.00.00 ^{19,22}	Server/option updates	smartpqi: Yes lsi-mr3: Yes

HPE Custom Image for VMware vSphere 7.0 U3 (Sep 2024) 5,6,13,19,22,29	HPE-Custom-AddOn_703.0.0.11.8.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/sep2024 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.8.0) ^{4,10,19,22}	Gen11 SPP 2024.09.00.00 ^{19,22} Gen10 SPP 2024.09.00.00 ^{19,22}	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 7.0 U3 (May 30 2024) 5,6,13,19,22,29	HPE-Custom-AddOn_703.0.0.11.6.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/may.30.2024 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.6.0) ^{4,10,19,22}	Gen11 SPP 2024.04.00.00 ^{19,22} Gen10 SPP 2024.04.00.00 ^{19,22}	VMware patch updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 7.0 U3 (May 2024) 5,6,13,19,22,28	HPE-Custom-AddOn_703.0.0.11.6.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/may2024 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.6.0) ^{4,10,19,22}	Gen11 SPP 2024.04.00.00 ^{19,22} Gen10 SPP 2024.04.00.00 ^{19,22}	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 7.0 U3 (Nov 2023) 5,6,13,19,22,27	HPE-Custom-AddOn_703.0.0.11.5.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/nov2023 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.5.0) ^{4,10,19,22}	Gen11 SPP 2023.10.00.00 ^{19,22} Gen10 Patch Bundle version 2023.09.00.01 ^{19,22}	Server/option updates	smartpqi: Yes lsi-mr3: Yes
HPE Custom Image for VMware vSphere 7.0 U3 (Sep 2023) 5,6,13,19,22,26	HPE-Custom-AddOn_703.0.0.11.4.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/sep2023 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.4.0) ^{4,10,19,22}	Gen11 Patch Bundle version 2023.04.00.05 ^{19,22} Gen10 SPP 2023.09.00.00 ^{19,22}	Server/option updates	Refer to VCG.
HPE Custom Image for VMware vSphere 7.0 U3 (Apr 2023) 5,6,13,19,22,25	HPE-Custom-AddOn_703.0.0.11.3.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/apr2023 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.3.0) ^{4,10,19,22}	Gen11 SPP 2023.04.00.00 ^{19,22} Gen10 SPP 2023.03.00.00 ^{19,22}	Server/option updates	Refer to VCG.
HPE Custom Image for VMware vSphere 7.0 U3 (Feb 2023) 5,6,13,19,22,24	HPE-Custom-AddOn_703.0.0.11.2.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/feb2023 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.2.0) ^{4,10,19,22}	Gen11 SPP 2023.02.0 Gen10 Patch Bundle 2 Supplement ^{19,22}	Server/option updates	Refer to VCG.
HPE Custom Image for VMware vSphere 7.0 U3 (Dec 2022) 5,6,13,19,22,24	HPE-Custom-AddOn_703.0.0.11.1.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/dec2022 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.11.1.0) ^{4,10,19,22}	Gen11 SPP 2022.12.0 Gen10 Patch Bundle 1 Supplement ^{19,22}	Server/option updates	Refer to VCG.
HPE Custom Image for VMware vSphere 7.0 U3 (Oct 2022) 5,6,13,19,20,22	HPE-Custom-AddOn_703.0.0.10.10.0 ^{19,22}	https://vibsdepot.hpe.com/hpe/oct.20.2022 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.10.10.0) ^{4,10,19,22}	2022.09.01 ^{19,22}	Server/option updates	Refer to VCG.

HPE Custom Image for VMware vSphere 7.0 U3 (Jul 2022) 5,6,13,19,20,21	HPE-Custom-AddOn_703.0.0.10.9.1 19,21	https://vibsdepot.hpe.com/hpe/jul2022 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.10.9.1) 4,10,19,21	2022.03.1 ^{19,21} Gen9.1 ^{19,21}	VMware patch updates Last image to support Gen 9 servers	Refer to VCG.
HPE Custom Image for VMware vSphere 7.0 U3 (Apr 2022) 5,6,13,17,19	HPE-Custom-AddOn_703.0.0.10.9.0 ¹⁹	https://vibsdepot.hpe.com/hpe/apr2022 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.10.9.0) ^{4,10,19}	2022.03.1 ¹⁹ Gen9.1 ¹⁹	VMware patch updates Server/option updates	Refer to VCG.
HPE Custom Image for VMware vSphere 7.0 U3 (Jan 2022) 5,6,13,16,18	HPE-Custom-AddOn_703.0.0.10.8.1 ¹⁸	https://vibsdepot.hpe.com/hpe/jan2022 ³ HPE ESXi 7.0 U3 Add-on (703.0.0.10.8.1) ^{4,10,18}	2021.10.1 ^{15,18}	VMware patch updates	Refer to VCG.

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use the HPE ESXi 7.0 U3 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U3.

⁵ This image includes the Integrated Smart Update Tools for VMware ESXi.

⁶ This image includes the hpe-upgrade-component to enable update from HPE Custom Images for VMware vSphere 6.X to ESXi 7.0 U3.

¹⁰ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with the VMware 7.0 U3 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 U2 or earlier Base Images to define the desired image.

¹³ This image contains drivers that support both open and optimized options and are supported with both open and optimized firmware in the SPP and VUP.

¹⁵ This SPP supports use with vLCM and the OneView HSM and iLO Amplifier HSM with ESXi 7.0 U3 and matches the content in the listed ESXi 7.0 U3 January 2022 HPE Custom Image. This SPP also supports use with vLCM and the OneView HSM and iLO Amplifier HSM with ESXi 7.0 U2 to update the SW/Driver/FW recipe. For information on support for using this SPP with older ESXi 7.0 HPE Custom Images, see the [Updating to newer SPPs](#) section in this document.

¹⁶ Includes VMware vSphere 7.0 U3c. For more information, see VMware Release Note at <https://techdocs.broadcom.com/content/dam/broadcom/techdocs/us/en/pdf/vmware/vsphere/vsphere/vSphere-Release-Notes/vsphere-esxi-70u3c-release-notes.pdf>

¹⁷ Includes VMware vSphere 7.0 U3d. For more information, see VMware Release Note at <https://techdocs.broadcom.com/content/dam/broadcom/techdocs/us/en/pdf/vmware/vsphere/vsphere/vSphere-Release-Notes/vsphere-esxi-70u3d-release-notes.pdf>

¹⁸ These images, SPP/MSBs and AddOns are the last that support HPE C-Class Blades.

¹⁹ These images, SPP/MSBs and AddOns are not supported with HPE C-Class Blades.

²⁰ Includes VMware vSphere 7.0 U3f. For more information, see VMware Release Note at <https://techdocs.broadcom.com/content/dam/broadcom/techdocs/us/en/pdf/vmware/vsphere/vsphere/vSphere-Release-Notes/vsphere-esxi-70u3f-release-notes.pdf>

²¹ These images, SPP/MSBs and AddOns are the last to support HPE Gen9 servers

²² These images, SPP/MSBs and AddOns are not supported with HPE Gen9 servers

²⁴ Includes VMware vSphere 7.0 U3i. For more information, see VMware Release Note at <https://techdocs.broadcom.com/content/dam/broadcom/techdocs/us/en/pdf/vmware/vsphere/vsphere/vSphere-Release-Notes/vsphere-esxi-70u3i-release-notes.pdf>

²⁵ Includes VMware vSphere 7.0 U3l. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-70u3l-release-notes.html>

- ²⁶ Includes VMware vSphere 7.0 U3n. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-70u3n-release-notes.html>
- ²⁷ Includes VMware vSphere 7.0 U3o. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-70u3o-release-notes.html>
- ²⁸ Includes VMware vSphere 7.0 U3p. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-70u3p-release-notes.html>
- ²⁹ Includes VMware vSphere 7.0 U3q. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-70u3q-release-notes.html>
- ³⁰ Includes VMware vSphere 7.0 U3r. For more information, see VMware Release Note at <https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/vsphere-esxi-70u3r-release-notes.html>

VMware vSphere 7.0 U2

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

Information on the HPE recommended combinations of VMware Base Image, HPE AddOn and HPE SPP/VUP to use with vLCM/HSM is available at: [HPE Recommended vLCM Desired Image Definitions](#).

HPE Custom Image	HPE Custom Image Identifier	vibsdepot directory/HPE ESXi Add-on	SPP	Comments
HPE Custom Image for VMware vSphere 7.0 U2 (May 2021) ^{5,6,13,19,20}	oem-build-702.0.0.10.7.0	https://vibsdepot.hpe.com/hpe/may2021 ³ HPE ESXi 7.0 U2 Add-on (702.0.0.10.7.0) ^{4,10}	VUP 1.4.2.1 ¹² 2021.05.0 ^{8,11} 2021.04.0 ^{8,11}	Server/option updates
HPE Custom Image for VMware vSphere 7.0 U2 (Mar 2021) ^{5,6,13,18}	oem-build-702.0.0.10.6.3	https://vibsdepot.hpe.com/hpe/mar2021 ³ HPE ESXi 7.0 U2 Add-on (702.0.0.10.6.3) ^{4,10}	2020.09.0 ^{8,11} VUP 1.3.1 ¹²	7.0 U2 GA release

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use the HPE ESXi 7.0 U2 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U2.

⁵ This image includes the Integrated Smart Update Tools for VMware ESXi.

⁶ This image includes the hpe-upgrade-component to enable update from HPE Custom Images for VMware vSphere 6.X to ESXi 7.0 U2.

⁸ This SPP only supports online update with ESXi 7.0 and update releases on Gen10 and newer servers.

¹⁰ This Add-on only supports ESXi 7.0 U2 and can only be used in vLCM with the VMware 7.0 U2 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 or 7.0 U1 Base Images to define the desired image.

¹¹ This SPP does not support use with vLCM and HSM.

¹² This VUP only supports use with vLCM and HSM with ESXi 7.0 U2 and only supports online update with ESXi 7.0 U2 on Gen10 and newer servers.

- ¹³ This image contains drivers that support both open and optimized options and are supported with both open and optimized firmware in the SPP and VUP.
- ¹⁸ This image contains different software and drivers than what is included in the 2020.09.0 SPP. The newer software and drivers are listed below and are available in the vibsdepot directory listed above, as well as VUP 1.3.1.

Name	SPP Version	Image/Add-on Version
amdsd, amshelp	Bundle 3.6.0 VIBs: 11.6.0	Bundle 3.6.10 VIBs: 11.6.10
hpessaccli	hpessaccli 4.20.9.0	hpessaccli 4.21.7.0
qedentv	qedf 2.2.4.0 qedrntv 3.40.9.1 qedentv 3.40.9.0 qedi 2.19.5.0	qedf 2.2.8.0 qedrntv 3.40.18.0 qedentv 3.40.19.0 qedi 2.19.9.0
lpfc	lpfc 12.6.228.4	VMware in-box lpfc 12.8.298.3
hpe-vnic-enablement	N/A	1.00
isut	2.7.0	2.7.1
MRVL-QLogic-FC	qlnativefc 4.1.9.0	VMware in-box qlnativefc 4.1.14.0
Intel-igbn	igbn 1.4.11.0	VMware in-box igbn 1.4.11.2

- ¹⁹ Includes VMware vSphere 7.0 U2a (Express Patch 01). For more information, see VMware Release Note at https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/archived-release-notes_esxi.html
- ²⁰ This image contains different driver and software versions than what is included in the 2021.04.0 and 2021.05.0 SPPs. The different driver and software versions are available in the vibsdepot directory listed above, as well as VUP 1.4.2.1.

Driver/SW Name	SPP Driver/SW Version	Image Driver/SW Version
lpfc	12.8.329.0	12.8.329.1
HPE-Utility-Component	10.7.0	10.5.0

VMware vSphere 7.0 U1

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

Information on the HPE recommended combinations of VMware Base Image, HPE AddOn and HPE SPP/VUP to use with vLCM/HSM is available at: [HPE Recommended vLCM Desired Image Definitions](#).

HPE Custom Image	HPE Custom Image Identifier	vibsdepot directory/HPE ESXi Add-on	SPP	Comments
HPE Custom Image for VMware vSphere 7.0 U1 (May 2021) ^{5,6,13,19,20}	oem-build-701.0.0.10.7.0	https://vibsdepot.hpe.com/hpe/may2021 ^{3,21} HPE ESXi 7.0 U1 Add-on (701.0.0.10.7.0) ^{4,10}	VUP 1.4.1.1 ¹² 2021.05.0 ^{8,11} 2021.04.0 ^{8,11}	Server/option updates
HPE Custom Image for VMware vSphere 7.0 U1 (Jan 2021) ^{5,6,13,14,15,16,18}	oem-build-701.0.0.10.6.3	https://vibsdepot.hpe.com/hpe/jan2021 ³ HPE ESXi 7.0 U1 Add-on (701.0.0.10.6.3) ^{4,10}	2020.09.0 ^{8,11,17} VUP 1.2.2 ¹²	Server/option updates
HPE Custom Image for VMware vSphere 7.0 U1 (Oct 2020) ^{5,6,13,14}	oem-build-701.0.0.10.6.0	https://vibsdepot.hpe.com/hpe/oct2020 ³ HPE ESXi 7.0 U1 Add-on (701.0.0.10.6.0) ^{4,10}	2020.09.0 ^{8,11} VUP 1.2.1 ¹²	Server/option updates
HPE Custom Image for VMware vSphere 7.0 U1 (Oct 2020) ^{5,6,13,14}	oem-build-701.0.0.10.6.0	https://vibsdepot.hpe.com/hpe/oct2020 ³ HPE ESXi 7.0 U1 Add-on (701.0.0.10.6.0) ^{4,10}	2020.03.2 ⁹	7.0 U1 GA release

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use the HPE ESXi 7.0 U1 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U1.

⁵ This image includes the Integrated Smart Update Tools for VMware ESXi.

- ⁶ This image includes the hpe-upgrade-component to enable update from HPE Custom Images for VMware vSphere 6.X to ESXi 7.0 U1.
- ⁸ This SPP only supports online update with ESXi 7.0 and update releases on Gen10 and newer servers.
- ⁹ 2020.03.2 is supported with the October 2020 HPE Custom Image for Gen9 servers only
- ¹⁰ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 Base Image to define the desired image.
- ¹¹ This SPP does not support use with vLCM and HSM.
- ¹² This VUP only supports use with vLCM and HSM with ESXi 7.0 U1 and only supports online update with ESXi 7.0 U1 on Gen10 and newer servers.
- ¹³ This image contains drivers that support both open and optimized options and are supported with both open and optimized firmware in the SPP and VUP.
- ¹⁴ This image contains different software and newer drivers than what is included in the 2020.09.0 SPP. The different software and newer drivers are listed below and are available in the Add-on and vib depot directories listed above.

Name	SPP Version	Image/Add-on Version
hpessaccli	hpessaccli 4.20.9.0	hpessaccli 4.21.7.0
qedentv	qedf 2.2.4.0 qedrntv 3.40.9.1 qedentv 3.40.9.0 qedi 2.19.5.0	qedf 2.2.8.0 qedrntv 3.40.18.0 qedentv 3.40.19.0 qedi 2.19.9.0
lpfc	lpfc 12.6.228.4	VMware in-box lpfc 12.6.278.10
hpe-vnic-enablement	N/A	1.00
hpe-utility-component	conrep 10.6.0	conrep10.5.0

- ¹⁵ Includes VMware vSphere 7.0 U1c Patch. For more information, see VMware Release Note at https://techdocs.broadcom.com/us/en/vmware-cis/vsphere/vsphere/7-0/release-notes/esxi-update-and-patch-release-notes/archived-release-notes_esxi.html
- ¹⁶ This image is not supported on HPE ProLiant C-Class Blades. For more information see https://support.hpe.com/hpsc/doc/public/display?docid=emr_na-a00109978en_us
- ¹⁷ 2020.09.0 is supported with the January 2021 ESXi 7.0 U1 HPE Custom Image for Gen9 servers only.
- ¹⁸ This image contains newer software than what is included in the 2020.09.0 SPP. The newer software and drivers are listed below and are available in the vib depot directory listed above, as well as VUP 1.2.2.

SW Name	SPP SW Version	Image SW Version
amsd, amshelp	Bundle 3.6.0 VIBs: 11.6.0	Bundle 3.6.10 VIBs: 11.6.10

¹⁹ Includes VMware vSphere 7.0 U1d Patch. For more information, see VMware Release Note at <https://techdocs.broadcom.com/content/dam/broadcom/techdocs/us/en/pdf/vmware/vsphere/vsphere/vSphere-Release-Notes/vsphere-esxi-70u1d.pdf>

²⁰ This image contains different driver and software versions than what is included in the 2021.04.0 and 2021.05.0 SPPs. The different driver and software versions are available in the vibsdepot directory listed above, as well as VUP 1.4.1.

Driver/SW Name	SPP Driver/SW Version	Image Driver/SW Version
lpfc	12.8.329.0	12.8.329.1
HPE-Utility-Component	10.7.0	10.5.0

VMware vSphere 7.0

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

Information on the HPE recommended combinations of VMware Base Image, HPE AddOn and HPE SPP/VUP to use with vLCM/HSM is available at: [HPE Recommended vLCM Desired Image Definitions](#).

HPE Custom Image	HPE Custom Image Identifier	vibsdepot directory/HPE ESXi Add-on	SPP	Comments
HPE Custom Image for VMware vSphere 7.0 (Jun 2020) ^{5,6,7}	oem-build-700.0.0.10.5.5	https://vibsdepot.hpe.com/hpe/jun2020 ³ HPE ESXi 7.0 Add-on (700.0.0.10.5.5) ⁴	VUP 1.1.2 ⁸ 2020.03.2 ⁹	Update support Updated drivers Full Intel/Marvel adapter support
HPE Custom Image for VMware vSphere 7.0 (Apr 2020) ¹	oem-build-700.0.0.10.5.0	https://vibsdepot.hpe.com/hpe/apr2020 ² HPE ESXi 7.0 Add-on (700.0.0.10.5.0) ¹⁰	VUP 1.1.2 ⁸ 2020.03.2 ⁹	7.0 GA release

¹ This image is superseded by the June 2020 HPE Custom Image.

² This content is superseded by the content in the jun2020 directory.

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use the HPE ESXi 7.0 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0.

⁵ This image includes the Integrated Smart Update Tools for VMware ESXi.

⁶ This image includes the hpe-upgrade-component to enable update from HPE Custom Images for VMware vSphere 6.X to ESXi 7.0.

⁷ Includes VMware vSphere 7.0 Patch 7.0b. For more information, see VMware Release Note at <https://techdocs.broadcom.com/content/dam/broadcom/techdocs/us/en/pdf/vmware/vsphere/vsphere/vSphere-Release-Notes/esxi70b.pdf>

⁸ VUP 1.1.2 is supported with the April and June HPE Custom Image for Gen10 and forward only

⁹ 2020.03.2 is supported with the April and June HPE Custom Images for Gen9 servers only

¹⁰ This Add-on is superseded by the 700.0.0.10.5.5 Add-on

Gen12 SPP 2025.07.00.00

Gen11 SPP 2025.07.00.00

Gen10 SPP 2025.07.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen12 SPP 2025.07.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-5b922a6d418e49d9ab5ce830a5>. SPP documentation and downloads for the Gen11 SPP 2025.07.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-54cdea84c1704d9ebe42db8c21>. SPP documentation and downloads for the Gen10 SPP 2025.07.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-89d66d9c56b3455482b7a2e8f7>.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)
 - SPP 2025.03.00.00 or newer requires COM4VC 1.4 or newer.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
9.0	Gen12 SPP 2025.07.00.00 Online for Gen12 ^{27,28} Gen11 SPP 2025.07.00.00 Online or Offline update for Gen11 ^{27,28} Gen10 SPP 2025.07.00.00 Online or Offline update for Gen10 and Gen10 Plus ^{27,28}	HPE Custom Image for VMware vSphere 9.0 (Jun 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/jun2025 ²³ Gen12 SPP 2025.07.00.00 Online update for Gen12 ^{27,28} Gen11 SPP 2025.07.00.00 Online update for Gen11 ^{27,28} Gen10 SPP 2025.07.00.00 Online update for Gen10 and Gen10 Plus ^{27,28} HPE ESXi 9.0 Add-On (900.0.0.12.1.0) ^{11,21,22}	smartpqi: Yes lsi-mr3: Yes
8.0 U3	Gen12 SPP 2025.07.00.00 Online for Gen12 ^{27,28} Gen11 SPP 2025.07.00.00 Online or Offline update for Gen11 ^{27,28} Gen10 SPP 2025.07.00.00 Online or Offline update for Gen10 and Gen10 Plus ^{27,28}	HPE Custom Image for VMware vSphere 8.0 U3 (Apr 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2025 ²³ Gen12 SPP 2025.07.00.00 Online update for Gen12 ^{27,28} Gen11 SPP 2025.07.00.00 Online update for Gen11 ^{27,28} Gen10 SPP 2025.07.00.00 Online update for Gen10 and Gen10 Plus ^{27,28} HPE ESXi 8.0 U3 Add-On (803.0.0.12.1.0) ^{11,19,21}	smartpqi: Yes lsi-mr3: Yes

¹¹ These images and AddOns are not supported with HPE C-Class Blades

¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.

²¹ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM).

²² This Add-on only supports ESXi 9.0 and can only be used in vLCM with a VMware 9.0 Base Image to define the desired image.

²³ The ESXi 8.0 and ESXi 9.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

²⁴ This SPP is not supported by the currently released OneView HSM. It will be supported in a future OneView HSM release.

²⁵ This SPP is not supported by the currently released Compute Ops Management HSM (COM4VC). It will be supported in a future Compute Ops Management HSM (COM4VC) release.

²⁷ The Gen12 Service Pack for ProLiant (SPP) Version 2025.07.00.00 and Gen11 Service Pack for ProLiant (SPP) Version 2025.07.00.00 and Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2025.07.00.00 have newer content than the HPE Custom Images and HPE Custom Addons. For latest SPP content, refer to <https://www.hpe.com/global/swpublishing/MTX-5b922a6d418e49d9ab5ce830a5> for Gen12 Service Pack for ProLiant (SPP) Version 2025.07.00.00 and <https://www.hpe.com/global/swpublishing/MTX-54cdea84c1704d9ebe42db8c21> for Gen11 Service Pack for ProLiant (SPP) Version 2025.07.00.00 and refer to <https://www.hpe.com/global/swpublishing/MTX-89d66d9c56b3455482b7a2e8f7> for Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2025.07.00.00.

²⁸ Recommend updating to Gen12 Service Pack for ProLiant (SPP) Version 2025.07.00.00 and Gen11 Service Pack for ProLiant (SPP) Version 2025.07.00.00 and Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2025.07.00.00 or newer. Refer to https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00150602en_us.

Gen12 SPP 2025.05.00.00

Gen11 SPP 2025.05.00.00

Gen10 SPP 2025.05.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen12 SPP 2025.05.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-3e4a94c525e34868a682f16fb3>. SPP documentation and downloads for the Gen11 SPP 2025.05.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-5cda1141c85546319d00df4de6>. SPP documentation and downloads for the Gen10 SPP 2025.05.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-36cc4f89eab74c898a2b957b71>.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)
 - SPP 2025.03.00.00 or newer requires COM4VC 1.4 or newer.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
9.0	Gen12 SPP 2025.05.00.00 Online for Gen12 ²⁶ Gen11 SPP 2025.05.00.00 Online or Offline update for Gen11 ²⁶ Gen10 SPP 2025.05.00.00 Online or Offline update for Gen10 and Gen10 Plus ²⁶	HPE Custom Image for VMware vSphere 9.0 (Jun 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/jun2025 ²³ Gen12 SPP 2025.05.00.00 Online update for Gen12 ²⁶ Gen11 SPP 2025.05.00.00 Online update for Gen11 ²⁶ Gen10 SPP 2025.05.00.00 Online update for Gen10 and Gen10 Plus ²⁶ HPE ESXi 9.0 Add-On (900.0.0.12.1.0) ^{11,21,22}	smartpqi: Yes lsi-mr3: Yes
8.0 U3	Gen12 SPP 2025.05.00.00 Online for Gen12 ²⁶ Gen11 SPP 2025.05.00.00 Online or Offline update for Gen11 ²⁶ Gen10 SPP 2025.05.00.00 Online or Offline update for Gen10 and Gen10 Plus ²⁶	HPE Custom Image for VMware vSphere 8.0 U3 (Apr 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2025 ²³ Gen12 SPP 2025.05.00.00 Online update for Gen12 ²⁶ Gen11 SPP 2025.05.00.00 Online update for Gen11 ²⁶ Gen10 SPP 2025.05.00.00 Online update for Gen10 and Gen10 Plus ²⁶ HPE ESXi 8.0 U3 Add-On (803.0.0.12.1.0) ^{11,19,21}	smartpqi: Yes lsi-mr3: Yes

¹¹ These images and AddOns are not supported with HPE C-Class Blades

¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.

²¹ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM).

²² This Add-on only supports ESXi 9.0 and can only be used in vLCM with a VMware 9.0 Base Image to define the desired image.

²³ The ESXi 8.0 and ESXi 9.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

²⁴ This SPP is not supported by the currently released OneView HSM. It will be supported in a future OneView HSM release.

²⁵ This SPP is not supported by the currently released Compute Ops Management HSM (COM4VC). It will be supported in a future Compute Ops Management HSM (COM4VC) release.

²⁶ The Gen12 Service Pack for ProLiant (SPP) Version 2025.05.00.00 and Gen11 Service Pack for ProLiant (SPP) Version 2025.05.00.00 and Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2025.05.00.00 have newer content than the HPE Custom Images and HPE Custom Addons. For latest SPP content, refer to <https://www.hpe.com/global/swpublishing/MTX-3e4a94c525e34868a682f16fb3> for Gen12 Service Pack for ProLiant (SPP) Version 2025.05.00.00 and <https://www.hpe.com/global/swpublishing/MTX-5cda1141c85546319d00df4de6> for Gen11 Service Pack for ProLiant (SPP) Version 2025.05.00.00 and refer to <https://www.hpe.com/global/swpublishing/MTX-36cc4f89eab74c898a2b957b71> for Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2025.05.00.00.

Gen12 SPP 2025.03.00.00

Gen11 SPP 2025.03.00.00

Gen10 SPP 2025.03.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen12 SPP 2025.03.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-52fb37b950b041d38041f46dee>. SPP documentation and downloads for the Gen11 SPP 2025.03.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-3f146d24f9904b52af54b6f6f8>. SPP documentation and downloads for the Gen10 SPP 2025.03.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-fc31df9ddb8045f492d1fc3cea>.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-in that enable vLCM to perform FW update, for Gen10 and forward HPE servers running vSphere 8.0 and forward VMware OS releases, is available at:

- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)
 - SPP 2025.03.00.00 or newer requires COM4VC 1.4 or newer.

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
9.0	Gen12 SPP 2025.03.00.00 Online for Gen12 Gen11 SPP 2025.03.00.00 Online or Offline update for Gen11 Gen10 SPP 2025.03.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 9.0 (Jun 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/jun2025 ²³ Gen12 SPP 2025.03.00.00 Online update for Gen12 Gen11 SPP 2025.03.00.00 Online update for Gen11 Gen10 SPP 2025.03.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 9.0 Add-On (900.0.0.12.1.0) ^{11,21,22}	smartpqi: Yes lsi-mr3: Yes
8.0 U3	Gen12 SPP 2025.03.00.00 Online for Gen12 Gen11 SPP 2025.03.00.00 Online or Offline update for Gen11 Gen10 SPP 2025.03.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U3 (Apr 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2025 ²³ Gen12 SPP 2025.03.00.00 Online update for Gen12 Gen11 SPP 2025.03.00.00 Online update for Gen11 Gen10 SPP 2025.03.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U3 Add-On (803.0.0.12.1.0) ^{11,19,21}	smartpqi: Yes lsi-mr3: Yes

¹¹ These images and AddOns are not supported with HPE C-Class Blades

¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.

²¹ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM).

²² This Add-on only supports ESXi 9.0 and can only be used in vLCM with a VMware 9.0 Base Image to define the desired image.

²³ The ESXi 8.0 and ESXi 9.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

²⁴ This SPP is not supported by the currently released OneView HSM. It will be supported in a future OneView HSM release.

²⁵ This SPP is not supported by the currently released Compute Ops Management HSM (COM4VC). It will be supported in a future Compute Ops Management HSM (COM4VC) release.

Gen11 SPP 2025.01.00.00

Gen10 SPP 2025.01.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen11 SPP 2025.01.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-64db9ddcd3e7451facc7c7a283>. SPP documentation and downloads for the Gen10 SPP 2025.01.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-09be5021080f4741b90bc79376>.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
8.0 U3	Gen11 SPP 2025.01.00.00 Online or Offline update for Gen11 Gen10 SPP 2025.01.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U3 (Feb 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/feb2025 ³ Gen11 SPP 2025.01.00.00 Online update for Gen11 Gen10 SPP 2025.01.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U3 Add-On (803.0.0.11.9.0) ^{4,11,19}	smartpqi: Yes lsi-mr3: Yes
7.0 U3	Gen11 SPP 2025.01.00.00 Online or Offline update for Gen11 Gen10 SPP 2025.01.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (Feb 2025) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/feb2025 ³ Gen11 SPP 2025.01.00.00 Online update for Gen11 Gen10 SPP 2025.01.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 7.0 U3 Add-on (703.0.0.11.9.0) ^{4,9,11}	smartpqi: Yes lsi-mr3: Yes

- ³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.
- ⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.
- ¹¹ These images and AddOns are not supported with HPE C-Class Blades
- ¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.
- ¹⁴ This is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.
- ¹⁶ This is an SPP Supplement for the Gen10 SPP 2023.09.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2023.09.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁷ This is an SPP Supplement for the Gen11 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen11 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.
- ¹⁸ This is an SPP Supplement for the Gen10 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen10 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.
- ¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.
- ²⁰ The Gen11 Service Pack for ProLiant (SPP) Version 2024.11.00.00 and Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2024.11.00.00 have newer content than the HPE Custom Images and HPE Custom Addons. For latest SPP content, refer to <https://www.hpe.com/global/swpublishing/MTX-f97d32f9c4f543fe908cd9033c> for Gen11 Service Pack for ProLiant (SPP) Version 2024.11.00.00 and refer to <https://www.hpe.com/global/swpublishing/MTX-5c9d728c047745298cdc2a19b0> for Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2024.11.00.00.

Gen11 SPP 2024.11.00.00

Gen10 SPP 2024.11.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen11 SPP 2024.11.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-f97d32f9c4f543fe908cd9033c>. SPP documentation and downloads for the Gen10 SPP 2024.11.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-5c9d728c047745298cdc2a19b0>.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
8.0 U3	Gen11 SPP 2024.11.00.00 Online or Offline update for Gen11 ²⁰ Gen10 SPP 2024.11.00.00 Online or Offline update for Gen10 and Gen10 Plus ²⁰	HPE Custom Image for VMware vSphere 8.0 U3 (Nov 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/nov2024 ³ Gen11 SPP 2024.11.00.00 Online update for Gen11 ²⁰ Gen10 SPP 2024.11.00.00 Online update for Gen10 and Gen10 Plus ²⁰ HPE ESXi 8.0 U3 Add-On (803.0.0.11.8.0) ^{4,11,19}	smartpqi: Yes lsi-mr3: Yes
7.0 U3	Gen11 SPP 2024.11.00.00 Online or Offline update for Gen11 ²⁰ Gen10 SPP 2024.11.00.00 Online or Offline update for Gen10 and Gen10 Plus ²⁰	HPE Custom Image for VMware vSphere 7.0 U3 (Sep 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/sep2024 ³ Gen11 SPP 2024.11.00.00 Online update for Gen11 ²⁰ Gen10 SPP 2024.11.00.00 Online update for Gen10 and Gen10 Plus ²⁰ HPE ESXi 7.0 U3 Add-on (703.0.0.11.8.0) ^{4,9,11}	smartpqi: Yes lsi-mr3: Yes

- ³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.
- ⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.
- ¹¹ These images and AddOns are not supported with HPE C-Class Blades
- ¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.
- ¹⁴ This is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.
- ¹⁶ This is an SPP Supplement for the Gen10 SPP 2023.09.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2023.09.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁷ This is an SPP Supplement for the Gen11 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen11 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.
- ¹⁸ This is an SPP Supplement for the Gen10 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen10 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.
- ¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.
- ²⁰ The Gen11 Service Pack for ProLiant (SPP) Version 2024.11.00.00 and Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2024.11.00.00 have newer content than the HPE Custom Images and HPE Custom Addons. For latest SPP content, refer to <https://www.hpe.com/global/swpublishing/MTX-f97d32f9c4f543fe908cd9033c> for Gen11 Service Pack for ProLiant (SPP) Version 2024.11.00.00 and refer to <https://www.hpe.com/global/swpublishing/MTX-5c9d728c047745298cdc2a19b0> for Gen10/Gen10 Plus Service Pack for ProLiant (SPP) Version 2024.11.00.00.

Gen11 SPP 2024.09.00.00

Gen10 SPP 2024.09.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen11 SPP 2024.09.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-c61965b8c6f0474ca85bbe33c2>. SPP documentation and downloads for the Gen10 SPP 2024.09.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-89948285605f44c8ba6061921c>.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
8.0 U3	Gen11 SPP 2024.09.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.09.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U3 (Nov 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/nov2024 ³ Gen11 SPP 2024.09.00.00 Online update for Gen11 Gen10 SPP 2024.09.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U3 Add-On (803.0.0.11.8.0) ^{4,11,19}	smartpqi: Yes lsi-mr3: Yes
8.0 U3	Gen11 SPP 2024.09.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.09.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U3 (Sep 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/sep2024 ³ Gen11 SPP 2024.09.00.00 Online update for Gen11 Gen10 SPP 2024.09.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U3 Add-On (803.0.0.11.8.0) ^{4,11,19}	smartpqi: Yes lsi-mr3: Yes

7.0 U3	Gen11 SPP 2024.09.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.09.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (Sep 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/sep2024 ³ Gen11 SPP 2024.09.00.00 Online update for Gen11 Gen10 SPP 2024.09.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 7.0 U3 Add-on (703.0.0.11.8.0) ^{4,9,11}	smartpqi: Yes lsi-mr3: Yes
--------	---	---	-------------------------------

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.

¹¹ These images and AddOns are not supported with HPE C-Class Blades

¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.

¹⁴ This is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.

¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.

¹⁶ This is an SPP Supplement for the Gen10 SPP 2023.09.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2023.09.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.

¹⁷ This is an SPP Supplement for the Gen11 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen11 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.

¹⁸ This is an SPP Supplement for the Gen10 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen10 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.

¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.

Gen11 Patch Bundle version 2024.04.00.01

Gen10 Patch Bundle version 2024.04.00.01

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
8.0 U3	Gen11 Patch Bundle version 2024.04.00.01 Online or Offline update for Gen11 ¹⁷ Gen10 Patch Bundle version 2024.04.00.01 Online or Offline update for Gen10 and Gen10 Plus ¹⁸	HPE Custom Image for VMware vSphere 8.0 U3 (June 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/jun2024 ³ Gen11 Patch Bundle version 2024.04.00.01 Online update for Gen11 ¹⁷ Gen10 Patch Bundle version 2024.04.00.01 for Gen10 and Gen10 Plus ¹⁸ HPE ESXi 8.0 U3 Add-On (803.0.0.11.7.0) ^{4,11,19}	smartpqi: Yes lsi-mr3: Yes

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.

¹¹ These images and AddOns are not supported with HPE C-Class Blades

- ¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.
- ¹⁴ This is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.
- ¹⁶ This is an SPP Supplement for the Gen10 SPP 2023.09.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2023.09.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁷ This is an SPP Supplement for the Gen11 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen11 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.
- ¹⁸ This is an SPP Supplement for the Gen10 SPP 2024.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2024.04.00.00](#) SPP Custom Download page to download the SPP + Patch Bundle Supplement “Gen10 SPP 2024.04.00.00 + Patch Bundle 1” to use with vLCM/HSM.
- ¹⁹ This Add-on only supports ESXi 8.0 U3 and can only be used in vLCM with a VMware 8.0 U3 Base Image to define the desired image.

Gen11 SPP 2024.04.00.00

Gen10 SPP 2024.04.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen11 SPP 2024.04.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-f093c066378643beb77308d550>. SPP documentation and downloads for the Gen10 SPP 2024.04.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-c3e19b4595444db5b60b1fc95a>

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#).

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
8.0 U2	Gen11 SPP 2024.04.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.04.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U2 (Aug 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/aug2024 ³ Gen11 SPP 2024.04.00.00 Online update for Gen11 Gen10 SPP 2024.04.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U2 Add-On (802.0.0.11.6.0) ^{4,11,15}	smartpqi: Yes lsi-mr3: Yes
8.0 U2	Gen11 SPP 2024.04.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.04.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U2 (May 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/may2024 ³ Gen11 SPP 2024.04.00.00 Online update for Gen11 Gen10 SPP 2024.04.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U2 Add-On (802.0.0.11.6.0) ^{4,11,15}	smartpqi: Yes lsi-mr3: Yes

7.0 U3	Gen11 SPP 2024.04.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.04.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (May 30 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/may.30.2024 ³ Gen11 SPP 2024.04.00.00 Online update for Gen11 Gen10 SPP 2024.04.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 7.0 U3 Add-on (703.0.0.11.6.0) ^{4,9,11}	smartpqi: Yes lsi-mr3: Yes
7.0 U3	Gen11 SPP 2024.04.00.00 Online or Offline update for Gen11 Gen10 SPP 2024.04.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (May 2024) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/may2024 ³ Gen11 SPP 2024.04.00.00 Online update for Gen11 Gen10 SPP 2024.04.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 7.0 U3 Add-on (703.0.0.11.6.0) ^{4,9,11}	smartpqi: Yes lsi-mr3: Yes

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.

¹¹ These images and AddOns are not supported with HPE C-Class Blades

¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.

¹⁴ This is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.

¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.

¹⁶ This is an SPP Supplement for the Gen10 SPP 2023.09.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2023.09.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.

Gen11 SPP 2023.10.00.00

Gen10 Patch Bundle version 2023.09.00.01

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen11 SPP 2023.10.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-c65abe57fc29457b95d1330f9f>

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

For latest vSAN driver and firmware support, see: [VMware Compatibility Guide vSAN](#). vSAN support information added starting with Gen11 SPP 2023.10.00.00 and Gen10 Patch Bundle version 2023.09.00.01 releases. For previously released vSAN support, refer to VCG.

VMware vSphere version	Firmware	Drivers / Software	vSAN Support
8.0 U2	Gen11 SPP 2023.10.00.00 Online or Offline update for Gen11 Gen10 Patch Bundle version 2023.09.00.01 Online or Offline update for Gen10 and Gen10 Plus ¹⁶	HPE Custom Image for VMware vSphere 8.0 U2 (Nov 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/nov2023 ³ Gen11 SPP 2023.10.00.00 Online update for Gen11 Gen10 Patch Bundle version 2023.09.00.01 Online update for Gen10 and Gen10 Plus ¹⁶ HPE ESXi 8.0 U2 Add-On (802.0.0.11.5.0) ^{4,11,15}	smartpqi: Yes lsi-mr3: Yes
7.0 U3	Gen11 SPP 2023.10.00.00 Online or Offline update for Gen11 Gen10 Patch Bundle version 2023.09.00.01 Online or Offline update for Gen10 and Gen10 Plus ¹⁶	HPE Custom Image for VMware vSphere 7.0 U3 (Nov 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/nov2023 ³ Gen11 SPP 2023.10.00.00 Online update for Gen11 Gen10 Patch Bundle version 2023.09.00.01 Online update for Gen10 and Gen10 Plus ¹⁶ HPE ESXi 7.0 U3 Add-on (703.0.0.11.5.0) ^{4,9,11}	smartpqi: Yes lsi-mr3: Yes

- ³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.
- ⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.
- ¹¹ These images and AddOns are not supported with HPE C-Class Blades
- ¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.
- ¹⁴ This is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.
- ¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.
- ¹⁶ This is an SPP Supplement for the Gen10 SPP 2023.09.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen10 SPP 2023.09.00.00](#) download page and Patch Bundles section for Release Notes that include instructions on how to use the Patch Bundle to make a custom SPP bundle to use with vLCM/HSM.

Gen11 Patch Bundle version 2023.04.00.05

Gen10 SPP 2023.09.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen10 SPP 2023.09.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-4d9855ba25bc45b8b2f42a04e6>

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us
If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

VMware vSphere version	Firmware	Drivers / Software
8.0 U2	Gen11 Patch Bundle version 2023.04.00.05 Online or Offline update for Gen11 ¹⁴ Gen10 SPP 2023.09.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U2 (Sep 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/sep.21.2023 ³ Gen11 Patch Bundle version 2023.04.00.05 Online update for Gen11 ¹⁴ Gen10 SPP 2023.09.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U2 Add-On (802.0.0.11.4.0) ^{4,11,15}
8.0 U1	Gen11 Patch Bundle version 2023.04.00.05 Online or Offline update for Gen11 ¹⁴ Gen10 SPP 2023.09.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U1 (Sep 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/sep2023 ³ Gen11 Patch Bundle version 2023.04.00.05 Online update for Gen11 ¹⁴ Gen10 SPP 2023.09.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U1 Add-On (801.0.0.11.4.0) ^{4,11,12}
7.0 U3	Gen11 Patch Bundle version 2023.04.00.05 Online or Offline update for Gen11 ¹⁴ Gen10 SPP 2023.09.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (Sep 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/sep2023 ³ Gen11 Patch Bundle version 2023.04.00.05 Online update for Gen11 ¹⁴ Gen10 SPP 2023.09.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 7.0 U3 Add-on (703.0.0.11.4.0) ^{4,9,11}

- ³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.
- ⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.
- ¹¹ These images and AddOns are not supported with HPE C-Class Blades
- ¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.
- ¹⁴ The Gen11 Patch Bundle version 2023.04.00.05 is an SPP Supplement for the Gen11 SPP 2023.04.00.00. Newer Patch Bundle Supplements are cumulative. Refer to [Gen11 SPP 2023.04.00.00](#) download page and Patch Bundles section for Release Notes.
- ¹⁵ This Add-on only supports ESXi 8.0 U2 and can only be used in vLCM with a VMware 8.0 U2 Base Image to define the desired image.

Gen11 SPP 2023.04.00.00

Gen10 SPP 2023.03.00.00

No Gen9 or earlier support. No HPE C-Class Blades support.

SPP documentation and downloads for the Gen11 SPP 2023.04.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-c7d34a9925374ed8a42cd14266>

SPP documentation and downloads for the Gen10 SPP 2023.03.00.00 release can be found at <https://www.hpe.com/global/swpublishing/MTX-50b300127e24428582ca72564a>

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

VMware vSphere version	Firmware	Drivers / Software
8.0 U1	Gen11 SPP 2023.04.00.00 Online or Offline update for Gen11 and forward ¹³ Gen10 SPP 2023.03.00.00 Online or Offline update for Gen10 and Gen10 Plus ¹³	HPE Custom Image for VMware vSphere 8.0 U1 (Aug 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/aug2023 ³ Gen11 SPP 2023.04.00.00 Online update for Gen11 and forward ¹³ Gen10 SPP 2023.03.00.00 Online update for Gen10 and Gen10 Plus ¹³ HPE ESXi 8.0 U1 Add-On (801.0.0.11.3.2) ^{4,11,12}
8.0 U1	Gen11 SPP 2023.04.00.00 Online or Offline update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U1 (Jun 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/jun2023 ³ Gen11 SPP 2023.04.00.00 Online update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U1 Add-On (801.0.0.11.3.1) ^{4,11,12}

8.0 U1	Gen11 SPP 2023.04.00.00 Online or Offline update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 U1 (April 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr.18.2023 ³ Gen11 SPP 2023.04.00.00 Online update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 U1 Add-On (801.0.0.11.3.0) ^{4,11,12}
8.0	Gen11 SPP 2023.04.00.00 Online or Offline update for Gen11 and forward ¹³ Gen10 SPP 2023.03.00.00 Online or Offline update for Gen10 and Gen10 Plus ¹³	HPE Custom Image for VMware vSphere 8.0 (Aug 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/aug2023 ³ Gen11 SPP 2023.04.00.00 Online update for Gen11 and forward ¹³ Gen10 SPP 2023.03.00.00 Online update for Gen10 and Gen10 Plus ¹³ HPE ESXi 8.0 Add-on (800.0.0.11.3.1) ^{4,10,11}
8.0	Gen11 SPP 2023.04.00.00 Online or Offline update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 (April 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2023 ³ Gen11 SPP 2023.04.00.00 Online update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 Add-on (800.0.0.11.3.0) ^{4,10,11}
7.0 U3	Gen11 SPP 2023.04.00.00 Online or Offline update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (April 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2023 ³ Gen11 SPP 2023.04.00.00 Online update for Gen11 and forward Gen10 SPP 2023.03.00.00 Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.11.3.0) ^{4,9,11}

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.

¹⁰ This Add-on only supports ESXi 8.0 and can only be used in vLCM with a VMware 8.0 Base Image to define the desired image.

¹¹ These images and AddOns are not supported with HPE C-Class Blades

¹² This Add-on only supports ESXi 8.0 U1 and can only be used in vLCM with a VMware 8.0 U1 Base Image to define the desired image.

¹³ The bnxtnet driver version 225.0.131.0 and bnxtrc driver version 225.0.131.0 are included in the HPE Custom Image for VMware vSphere 8.0 (Aug 2023) and HPE Custom Image for VMware vSphere 8.0 U1 (Aug 2023). For firmware updates for the bnxtnet driver version 225.0.131.0 and bnxtrc driver version 225.0.131.0, refer to [SPP Download Page](#). Firmware updates are not recommended with vLCM.

Gen11 SPP 2023.02.0 Gen10 Patch Bundle 2 Supplement

No Gen9 or earlier support.

No HPE C-Class Blades support

SPP documentation and downloads for the Gen 11 SPP 2023.02.0 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-53d42b5d58534023a154aaf5f>

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

VMware vSphere version	Firmware	Drivers / Software
8.0	Gen11 SPP 2023.02.0 Online or Offline update for Gen11 and forward Gen10 Patch Bundle 2 Supplement Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 (Feb 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/feb2023 ³ Gen11 SPP 2023.02.0 Online update for Gen11 and forward Gen10 Patch Bundle 2 Supplement Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 Add-on (800.0.0.11.2.0) ^{4,10,11}
7.0 U3	Gen11 SPP 2023.02.0 Online or Offline update for Gen11 and forward Gen10 Patch Bundle 2 Supplement Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (Feb 2023) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/feb2023 ³ Gen11 SPP 2023.02.0 Online update for Gen11 and forward Gen10 Patch Bundle 1 Supplement Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.11.2.0) ^{4,9,11}

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

- ⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.
- ¹⁰ This Add-on only supports ESXi 8.0 and can only be used in vLCM with a VMware 8.0 Base Image to define the desired image.
- ¹¹ These images and AddOns are not supported with HPE C-Class Blades

Gen11 SPP 2022.12.0 Gen10 Patch Bundle 1 Supplement

No Gen9 or earlier support.

No HPE C-Class Blades support

SPP documentation and downloads for the Gen 11 SPP 2022.12.0 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-28f1670be00a46bca1af0bd8c0>

SPP Supplements and SPP Custom Download portal to create a customized SPP download are available at: <https://www.hpe.com/servers/spp/custom>

The HPE SPP Custom Download User Guide is available in at: https://support.hpe.com/hpesc/public/docDisplay?docLocale=en_US&docId=a00110457en_us

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

VMware vSphere version	Firmware	Drivers / Software
8.0	Gen11 SPP 2022.12.0 Online or Offline update for Gen11 and forward Gen10 Patch Bundle 1 Supplement Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 8.0 (Dec 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/dec2022 ³ Gen11 SPP 2022.12.0 Online update for Gen11 and forward Gen10 Patch Bundle 1 Supplement Online update for Gen10 and Gen10 Plus HPE ESXi 8.0 Add-on (800.0.0.11.1.0) ^{4,10,11}
7.0 U3	Gen11 SPP 2022.12.0 Online or Offline update for Gen11 and forward Gen10 Patch Bundle 1 Supplement Online or Offline update for Gen10 and Gen10 Plus	HPE Custom Image for VMware vSphere 7.0 U3 (Dec 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/dec2022 ³ Gen11 SPP 2022.12.0 Online update for Gen11 and forward Gen10 Patch Bundle 1 Supplement Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.11.1.0) ^{4,9,11}

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

- ⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with a VMware 7.0 U3 Base Image to define the desired image.
- ¹⁰ This Add-on only supports ESXi 8.0 and can only be used in vLCM with the VMware 8.0 GA Base Image to define the desired image.
- ¹¹ These images and AddOns are not supported with HPE C-Class Blades

SPP 2022.09.01

No Gen9 or earlier support.

No HPE C-Class Blades support

SPP documentation and downloads for the Gen 10 2022.09.01 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-7d8ee25ee8fe4031b47179d44c>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html
- HPE GreenLake for Compute Ops Management plug-in for VMware vCenter at: [HPE GreenLake for Compute Ops Management Documentation](#)

VMware vSphere version	Firmware	Drivers / Software
8.0	Gen10 2022.09.01 Online or Offline update for Gen10 and forward	HPE Custom Image for VMware vSphere 8.0 (Oct 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/oct2022 ³ Gen10 2022.09.01 Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (800.0.0.10.10.0) ^{4,10,11}
7.0 U3	Gen10 2022.09.01 Online or Offline update for Gen10 and forward	HPE Custom Image for VMware vSphere 7.0 U3 (Oct 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/oct2022 ³ 2022.09.01 Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.10.10.0) ^{4,9,11}

³ The ESXi 7.0 and ESXi 8.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁹ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with the VMware 7.0 U3 Base Image to define the desired image.

¹⁰ This Add-on only supports ESXi 8.0 and can only be used in vLCM with the VMware 8.0 IA Base Image to define the desired image.

¹¹ These images and AddOns are not supported with HPE C-Class Blades

SPP 2022.03.1

Gen9.1

Last SPP to support Gen9

No pre-Gen9 support

No HPE C-Class Blades support

SPP documentation and downloads for the Gen 10 2022.03.1 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-d0340dcd77134cf7b665732fe5>

SPP documentation and downloads for the Gen 9 Gen9.1 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-ab56dbf228be4a80adfb576b2a>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U3	Gen10 2022.03.1 Online or Offline update for Gen10 and forward Gen9 Gen9.1 Offline update	HPE Custom Image for VMware vSphere 7.0 U3 (Jul 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/jul2022 ³ Gen10 2022.03.1 Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.10.9.1) ^{4,10,11}
7.0 U3	Gen10 2022.03.1 Online or Offline update for Gen10 and forward Gen9 Gen9.1 Offline update	HPE Custom Image for VMware vSphere 7.0 U3 (Apr 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2022 ³ 2022.03.1 Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.10.9.0) ^{4,10,11}

6.7 U3	Gen10 2022.03.1 Online or Offline update Gen9 Gen9.1 Online or Offline update	HPE Custom Image for VMware vSphere 6.7 U3 (Apr 2022) ¹¹ vibsdepot https://vibsdepot.hpe.com/hpe/apr2022 2022.03.1 MSB Online update Gen9 Gen9.1 Online update
--------	--	--

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

¹⁰ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with the VMware 7.0 U3 Base Image to define the desired image.

¹¹ These images and AddOns are not supported with HPE C-Class Blades

SPP 2021.10.1

SPP 2021.10.1

Supported with VMware Life Cycle Manager (vLCM) and the HPE Hardware Support Manager (HSM) vLCM Plug-ins

No pre-Gen9 support

Last SPP to support HPE C-Class Blades.

SPP documentation and downloads for the Gen 10 2021.10.1 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-517467165f10412d9e06ddf062>

SPP documentation and downloads for the Gen 9 2021.10.1 release can be found at <https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX-cb5dfa5ffca04d408d99879d27>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - Recommend updating to OV4VC 11.7 or newer.
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U3	Gen10 2021.10.1 Online or Offline update for Gen10 and forward Gen9 2021.10.1 Offline update	HPE Custom Image for VMware vSphere 7.0 U3 (Jan 2022) vibsdepot https://vibsdepot.hpe.com/hpe/jan2022 ³ SPP 2021.10.1 Online update for Gen10 and forward HPE ESXi 7.0 U3 Add-on (703.0.0.10.8.1) ^{4,10}
7.0 U2	Gen10 2021.10.1 Online or Offline update for Gen10 and forward ⁸ Gen9 2021.10.1 Offline update	HPE Custom Image for VMware vSphere 7.0 U2 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ SPP 2021.10.1 Online update for Gen10 and forward HPE ESXi 7.0 U2 Add-on (702.0.0.10.7.0) ^{4,9}
6.7 U3	2021.10.1 SPP Online or Offline update	HPE Custom Image for VMware vSphere 6.7 U3 (Nov 2021) vibsdepot https://vibsdepot.hpe.com/hpe/nov2021 2021.10.1 SPP Online update

6.7 U3	2021.10.1 SPP Online or Offline update	HPE Custom Image for VMware vSphere 6.7 U3 (Oct 2021) vibsdepot https://vibsdepot.hpe.com/hpe/oct.26.2021 2021.10.1 SPP Online update
--------	--	---

- ³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.
- ⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.
- ⁸ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the HPE ESXi 7.0 U2 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U2.
- ⁹ This Add-on only supports ESXi 7.0 U2 and can only be used in vLCM with the VMware 7.0 U2 Base Image to define the desired image.
- ¹⁰ This Add-on only supports ESXi 7.0 U3 and can only be used in vLCM with the VMware 7.0 U3 Base Image to define the desired image.

VMware Upgrade Pack 1.4.1.1

VMware Upgrade Pack 1.4.1

VUP 1.4.1.1 replaces VUP 1.4.1. The difference between 1.4.1.1 and 1.4.1 are listed below:

- replacement of the offline version of the iLO firmware update component to match the firmware version of iLO firmware in the online firmware update component
- updated version of AMS component for ESXi 7.X

Includes updated bootloader to address the UEFI Secure Boot Evasion Vulnerabilities. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>.

No ESXi 7.0 or earlier support.

No Gen9 or earlier support

Documentation and downloads for the VMware Upgrade Pack 1.4.1.1 release can be found at: <https://www.hpe.com/global/swpublishing/MTX-64dd56ccb3ef4c8bbd5d51e62f>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail. Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U1	VUP 1.4.1.1 Online or Offline update for Gen10 and forward ⁶	HPE Custom Image for VMware vSphere 7.0 U1 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ VUP 1.4.1.1 Online update for Gen10 and forward HPE ESXi 7.0 U1 Add-on (702.0.0.10.7.0) ^{4,7}

³ The ESXi 7.0 U1 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 U1 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U1.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the VUP 1.4.1.1, HPE ESXi 7.0 U1 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U1.

⁷ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 Base Image to define the desired image.

SPP 2021.05.1

Replaced 2021.05.0 SPP to address:

- A security warning requiring user intervention that is observed on UI page during Offline automatic update of the SPP. Please refer to the following CA [a00120316en_us](#) for more details.
- A security vulnerability with CVE-ID CVE-2021-33909 impacting the Bootable ISO of the SPP.

Not supported with VMware Life Cycle Manager (vLCM) and the HPE Hardware Support Manager (HSM) vLCM Plug-ins

No pre-Gen9 support

No VMware vSphere online update of FW, driver or SW components for vSphere 7.0 and updates on Gen9.

No VMware vSphere online FW, driver or SW components for vSphere 6.7 on Gen9.

SPP documentation and downloads for the 2021.05.0 release can be found at

https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX_aa3c6dced84945a1962c9b7f86

VMware vSphere version	Firmware	Drivers / Software
7.0 U2	2021.05.1 Online or Offline update for Gen10 and forward ⁸ 2021.05.1 Offline update for Gen9	HPE Custom Image for VMware vSphere 7.0 U2 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ SPP 2021.05.1 Online update for Gen10 and forward HPE ESXi 7.0 U2 Add-on (702.0.0.10.7.0) ^{4,9}
7.0 U1	2021.05.1 Online or Offline update for Gen10 and forward ⁶ 2021.05.1 Offline update for Gen9	HPE Custom Image for VMware vSphere 7.0 U1 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ SPP 2021.05.1 Online update for Gen10 and forward HPE ESXi 7.0 U1 Add-on (702.0.0.10.7.0) ^{4,7}
6.7 U3	2021.05.1 SPP Online or Offline update	HPE Custom Image for VMware vSphere 6.7 U3 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 2021.05.1 SPP Online update

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the HPE ESXi 7.0 U1 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U1.

⁷ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1 Base Image to define the desired image.

⁸ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the HPE ESXi 7.0 U2 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U2.

⁹ This Add-on only supports ESXi 7.0 U2 and can only be used in vLCM with the VMware 7.0 U2 Base Image to define the desired image.

SPP 2021.04.1

Replaced 2021.04.0 SPP to address:

- A security warning requiring user intervention that is observed on UI page during Offline automatic update of the SPP. Please refer to the following CA [a00120316en_us](#) for more details.
- A security vulnerability with CVE-ID CVE-2021-33909 impacting the Bootable ISO of the SPP.

Not supported with VMware Life Cycle Manager (vLCM) and the HPE Hardware Support Manager (HSM) vLCM Plug-ins

No Gen9 or pre-Gen9 support

SPP documentation and downloads for the 2021.04.1 release can be found at

https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX_9d640e78c9584010a830c34ceb

VMware vSphere version	Firmware	Drivers / Software
7.0 U2	2021.04.1 Online or Offline update for Gen10 and forward ⁸	HPE Custom Image for VMware vSphere 7.0 U2 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ SPP 2021.04.1 Online update for Gen10 and forward HPE ESXi 7.0 U2 Add-on (702.0.0.10.7.0) ^{4,9}
7.0 U1	2021.04.1 Online or Offline update for Gen10 and forward ⁶	HPE Custom Image for VMware vSphere 7.0 U1 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ SPP 2021.04.1 Online update for Gen10 and forward HPE ESXi 7.0 U1 Add-on (702.0.0.10.7.0) ^{4,7}
6.7 U3	2021.04.1 SPP Online or Offline update for Gen10 and forward	HPE Custom Image for VMware vSphere 6.7 U3 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 2021.04.1 SPP Online update

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the HPE ESXi 7.0 U1 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U1.

⁷ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1 Base Image to define the desired image.

⁸ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the HPE ESXi 7.0 U2 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U2.

⁹ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U2 Base Image to define the desired image.

VMware Upgrade Pack 1.4.2.1

VMware Upgrade Pack 1.4.2

VUP 1.4.2.1 replaces VUP 1.4.2. The differences between 1.4.2.1 and 1.4.2 are listed below:

- addition of firmware to support the new HPE Intel Gen10 Plus servers
- replacement of the offline version of the HPE iLO firmware update component to match the firmware version of HPE iLO firmware in the online firmware update component
- removal of the lsi-mr3 driver component because the HPE ESXi 7.0 U2 HPE Custom Image uses the in-box version of the driver

Includes updated bootloader to address the UEFI Secure Boot Evasion Vulnerabilities. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>.

No ESXi 7.0 or earlier support.

No Gen9 or earlier support

Documentation and downloads for the VMware Upgrade Pack 1.4.2.1 release can be found at: <https://www.hpe.com/global/swpublishing/MTX-3762cce274214ab8acb4a5dd9c>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U2	VUP 1.4.2.1 Online or Offline update for Gen10 and forward ⁶	HPE Custom Image for VMware vSphere 7.0 U2 (May 2021) vibsdepot https://vibsdepot.hpe.com/hpe/may2021 ³ VUP 1.4.2.1 Online update for Gen10 and forward HPE ESXi 7.0 U2 Add-on (702.0.0.10.7.0) ^{4,7}

³ The ESXi 7.0 U2 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 U2 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U2.

- ⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the VUP 1.4.2.1, HPE ESXi 7.0 U2 Add-on and the May 2021 HPE Custom Image for vSphere 7.0 U2.
- ⁷ This Add-on only supports ESXi 7.0 U2 and can only be used in vLCM with the VMware 7.0 U2 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 or VMware 7.0 U1 Base Image to define the desired image.

VMware Upgrade Pack 1.3.1

VMware Upgrade Pack 1.3

VMware Upgrade Pack 1.3.1 replaces VMware Upgrade Pack 1.3 to provide an updated bootloader to address the UEFI Secure Boot Evasion Vulnerability aka BootHole. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>

No ESXi 7.0 or earlier support.

No Gen9 or earlier support

Documentation and downloads for the VMware Upgrade Pack release can be found at: <https://www.hpe.com/global/swpublishing/MTX-1b3c52de05e54950bf311be35d>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U2	VUP 1.3.1 Online or Offline update for Gen10 and forward ⁶	HPE Custom Image for VMware vSphere 7.0 U2 (March 2021) vibsdepot https://vibsdepot.hpe.com/hpe/mar2021 ³ VUP 1.3.1 Online update for Gen10 and forward HPE ESXi 7.0 U2 Add-on (702.0.0.10.6.3) ^{4,7}

³ The ESXi 7.0 U2 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 U2 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U2.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the VUP 1.3.1, HPE ESXi 7.0 U2 Add-on and the March 2021 HPE Custom Image for vSphere 7.0 U2.

⁷ This Add-on only supports ESXi 7.0 U2 and can only be used in vLCM with the VMware 7.0 U2 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 or VMware 7.0 U1 Base Image to define the desired image.

VMware Upgrade Pack 1.2.2

VMware Upgrade Pack 1.2A

VMware Upgrade Pack 1.2.2 replaces VMware Upgrade Pack 1.2A to provide an updated bootloader to address the UEFI Secure Boot Evasion Vulnerability aka BootHole. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>

No ESXi 7.0 or earlier support.

No Gen9 or earlier support

Documentation and downloads for the VMware Upgrade Pack release can be found at: <https://www.hpe.com/global/swpublishing/MTX-686ca271fcd54a2ca0644bc67f>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U1	VUP 1.2.2 Online or Offline update for Gen10 and forward ⁶	HPE Custom Image for VMware vSphere 7.0 U1 (January 2021) vibsdepot https://vibsdepot.hpe.com/hpe/jan2021 ³ VUP 1.2.2 Online update for Gen10 and forward HPE ESXi 7.0 U1 Add-on (701.0.0.10.6.3) ^{4,7}

³ The ESXi 7.0 U1 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 U1 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U1.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the VUP 1.2.2, HPE ESXi 7.0 U1 Add-on and the January 2020 HPE Custom Image for vSphere 7.0 U1.

⁷ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1 Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 Base Image to define the desired image.

VMware Upgrade Pack 1.2.1

VMware Upgrade Pack 1.2

VMware Upgrade Pack 1.2.1 replaces VMware Upgrade Pack 1.2 to provide an updated bootloader to address the UEFI Secure Boot Evasion Vulnerability aka BootHole. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>

No ESXi 7.0 or earlier support.

No Gen9 or earlier support

Documentation and downloads for the VMware Upgrade Pack release can be found at: <https://www.hpe.com/global/swpublishing/MTX-070d91e67e294e929a1657acf7>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0 U1	VUP 1.2.1 Online or Offline update for Gen10 and forward ⁶	HPE Custom Image for VMware vSphere 7.0 U1 (October 2020) vibsdepot https://vibsdepot.hpe.com/hpe/oct2020 ³ VUP 1.2.1 Online update for Gen10 and forward HPE ESXi 7.0 U1 Add-on (701.0.0.10.6.0) ^{4,7}

³ The ESXi 7.0 U1 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 U1 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 U1.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the VUP 1.2.1, HPE ESXi 7.0 U1 Add-on and the October 2020 HPE Custom Image for vSphere 7.0 U1.

⁷ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 Base Image to define the desired image.

September 2020 SPP

Replaced 2020.09.0 SPP to address:

- A security warning requiring user intervention that is observed on UI page during Offline automatic update of the SPP. Please refer to the following CA [a00120316en_us](#) for more details.
- A security vulnerability with CVE-ID CVE-2021-33909 impacting the Bootable ISO of the SPP.

Not supported with VMware Life Cycle Manager (vLCM) and the HPE Hardware Support Manager (HSM) vLCM Plug-ins

No pre-Gen9 support

No VMware vSphere online update of FW, driver or SW components for vSphere 7.0 and updates on Gen9.

No VMware vSphere online FW, driver or SW components for vSphere 6.7 on Gen9.

SPP documentation and downloads for the 2020.09.3 release can be found at

https://support.hpe.com/hpesc/public/swd/detail?swItemId=MTX_dd826df9a25d44f2b1a917a31a

VMware vSphere version	Firmware	Drivers / Software
7.0 U1	2020.09.3 Online or Offline update for Gen10 and forward ⁶ 2020.09.3 Offline update for Gen9	HPE Custom Image for VMware vSphere 7.0 U1 (Oct 2020) vibsdepot https://vibsdepot.hpe.com/hpe/oct2020 ³ 2020.09.3 SPP Online update for Gen10 and forward HPE ESXi 7.0 U1 Add-on (701.0.0.10.6.0) ^{4,7}
6.7 U3	2020.09.3 SPP Online or Offline update	HPE Custom Image for VMware vSphere 6.7 U3 (Oct 2020) vibsdepot https://vibsdepot.hpe.com/hpe/oct2020 2020.09.3 SPP Online update

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 and updates Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0 and updates.

⁶ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the HPE ESXi 7.0 U1 Add-on and the Oct 2020 HPE Custom Image for vSphere 7.0 U1.

⁷ This Add-on only supports ESXi 7.0 U1 and can only be used in vLCM with the VMware 7.0 U1Base Image to define the desired image. It cannot be used in vLCM with the VMware 7.0 Base Image to define the desired image.

VMware Upgrade Pack 1.1.2

VMware Upgrade Pack 1.1A

VMware Upgrade Pack 1.1.2 replaces VMware Upgrade Pack 1.1A to provide an updated bootloader to address the UEFI Secure Boot Evasion Vulnerability aka BootHole. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>

Documentation and downloads for the VMware Upgrade Pack 1.1A release are no longer available.

No Gen9 or earlier support

No ESXi 6.7 or earlier support

Documentation and downloads for the VMware Upgrade Pack release can be found at <https://www.hpe.com/global/swpublishing/MTX-cbc3c6765023429481d40e2f27>

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0	VUP 1.1.2 Online or Offline update for Gen10 and forward ⁵	HPE Custom Image for VMware vSphere 7.0 (Jun 2020) vibsdepot https://vibsdepot.hpe.com/hpe/jun2020 ³ VUP 1.1.2 Online update for Gen10 and forward HPE ESXi 7.0 Add-on (700.0.0.10.5.5) ⁴

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name “HPE Customization for HPE Servers”. See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0.

⁵ Online firmware update for Marvell adapters supported by the qlfe3, qlfe3i, qcnic, qlfe3f, qedf and qedi drivers and Intel adapters supported by the igbn, ixgben and i40en drivers requires the drivers included in the VUP 1.1A, HPE ESXi 7.0 Add-on and the June 2020 HPE Custom Image for vSphere 7.0.

VMware Upgrade Pack 1.0

VMware Upgrade Pack 1.0 is superseded by VUP 1.1A

Documentation and downloads for the VMware Upgrade Pack 1.0 release are no longer available.

No Gen9 or earlier support

No ESXi 6.7 or earlier support

If use VMware Life Cycle Manager (vLCM) to perform updates, use of any other mechanism to perform updates will cause the vLCM compliance check to fail.

Information about the HPE Hardware Support Manager (HSM), HPE vLCM Plug-ins, for Gen10 and forward HPE servers running vSphere 7.0 and forward VMware OS releases, that enables vLCM to perform FW update, are available at:

- iLO Amplifier HSM at: [iLO Amplifier Pack Documentation](#)
 - Deprecation information for iLO Amplifier HSM at: https://support.hpe.com/hpesc/docDisplay?docLocale=en_US&docId=a00133620en_us
- OneView HSM at: [HPE OneView for VMware vCenter Documentation](#)
 - For supported combinations of OV4VC, HPE OneView and VMware vCenter, refer to CN: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-a00118707en_us
 - For previous versions of HPE OneView for VMware vCenter, refer to recommendations in HPE OneView for VMware vCenter 11.7.0 Release Notes: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00006296en_us&page=GUID-5B498A95-5AC4-4FE7-B988-BB8058F6AEB2.html

VMware vSphere version	Firmware	Drivers / Software
7.0	VUP 1.0 Online or Offline update for Gen10 and forward	HPE Custom Image for VMware vSphere 7.0 (Apr 2020) vibsdepot https://vibsdepot.hpe.com/hpe/apr2020 ^{3,5} VUP 1.0 Online update for Gen10 and forward HPE ESXi 7.0 Add-on (700.0.0.10.5.0) ⁴

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the [VMware vSphere documentation](#) on how to use VMware Life Cycle Manager (vLCM) with the HPE ESXi 7.0 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0.

⁵ This content is superseded by the content in the jun2020 directory.

2020.03.3 SPP

Replaced 2020.03.2 SPP to address:

- A security warning requiring user intervention that is observed on UI page during Offline automatic update of the SPP. Please refer to the following CA [a00120316en_us](#) for more details.
- A security vulnerability with CVE-ID CVE-2021-33909 impacting the Bootable ISO of the SPP.

Replaced 2020.03.0 SPP to provide an updated bootloader to address the UEFI Secure Boot Evasion Vulnerability aka BootHole. For more information see: <https://www.hpe.com/us/en/services/security-vulnerability.html>

No pre-Gen9 support

No VMware vSphere online FW, driver or SW components for vSphere 6.7 on Gen9.

SPP documentation and downloads for the 2020.03.3 release can be found at

https://support.hpe.com/hpsc/swd/public/detail?swItemId=MTX_8837f8ab3e464ce78d637db5f9

VMware vSphere version	Firmware	Drivers / Software
7.0	2020.03.3 SPP Offline update for Gen9 only	HPE Custom Image for VMware vSphere 7.0 (Jun 2020) vibsdepot https://vibsdepot.hpe.com/hpe/jun2020 ³ HPE ESXi 7.0 Add-on (700.0.0.10.5.5) ⁴
7.0	2020.03.3 SPP Offline update	HPE Custom Image for VMware vSphere 7.0 (Apr 2020) vibsdepot https://vibsdepot.hpe.com/hpe/apr2020 ^{3,5} HPE ESXi 7.0 Add-on (700.0.0.10.5.0) ⁴
6.7 U3	2020.03.3 SPP Online or Offline update	HPE Custom Image for VMware vSphere 6.7 U3 (Mar 2020) vibsdepot https://vibsdepot.hpe.com/hpe/mar2020 2020.03.3 SPP Online update

³ The ESXi 7.0 content published in the HPE VMware Software Depot is for offline use only. It cannot be used with VMware vSphere Image Builder, VMware Update Manager or VMware Life Cycle Manager (vLCM) as an online depot.

⁴ This Add-on will be displayed in vLCM with Name "HPE Customization for HPE Servers". See the VMware documentation on how to use the HPE ESXi 7.0 Add-on, which contains all the HPE VMware Software Depot content for ESXi 7.0.

⁵ This content is superseded by the content in the jun2020 directory.

Revision History

Date	Version	Change Description
08.08.25	3.3	Added Gen12 SPP 2025.07.00.00 Added Gen11 SPP 2025.07.00.00 Added Gen10 SPP 2025.07.00.00
07.03.25	3.2.2	Updated note regarding COM4VC 1.4.
06.26.25	3.2.1	Updated note regarding OV4VC 11.7.
06.17.25	3.2	Added VMware vSphere 9.0 June 2025 HPE Custom Image
06.04.25	3.1	Added Gen12 SPP 2025.05.00.00 Added Gen11 SPP 2025.05.00.00 Added Gen10 SPP 2025.05.00.00
04.16.25	3.0	Added VMware vSphere 8.0 U3 April 2025 HPE Custom Image which includes 8.0 U3e Added Gen12 SPP 2025.03.00.00 Added Gen11 SPP 2025.03.00.00 Added Gen10 SPP 2025.03.00.00
02.06.25	2.18	Added VMware vSphere 7.0 U3 February 2025 HPE Custom Image which includes 7.0 U3r Added VMware vSphere 8.0 U3 February 2025 HPE Custom Image which includes 8.0 U3c Added Gen11 SPP 2025.01.00.00 Added Gen10 SPP 2025.01.00.00
12.06.24	2.17.1	Removed ESXi 6.5 and ESXi 6.7 content.
11.22.24	2.17	Added Gen11 SPP 2024.11.00.00 Added Gen10 SPP 2024.11.00.00
11.12.24	2.16	Added VMware vSphere 8.0 U3 November 2024 HPE Custom Image which includes 8.0 U3b

09.26.24	2.15	Added VMware vSphere 7.0 U3 September 2024 HPE Custom Image which includes 7.0 U3q Added VMware vSphere 8.0 U3 September 2024 HPE Custom Image Added Gen11 SPP 2024.09.00.00 Added Gen10 SPP 2024.09.00.00
08.06.24	2.14	Added VMware vSphere 8.0 U2 August 2024 HPE Custom Image which includes 8.0 U2c
6.25.24	2.13	Added VMware vSphere 8.0 U3 June 2024 HPE Custom Image
05.30.24	2.12	Added VMware vSphere 7.0 U3 May 30 2024 HPE Custom Image which includes 7.0 U3q
05.07.24	2.11	Added VMware vSphere 7.0 U3 May 2024 HPE Custom Image which includes 7.0 U3p Added VMware vSphere 8.0 U2 May 2024 HPE Custom Image which includes 8.0 U2b Added Gen11 SPP 2024.04.00.00 Added Gen10 SPP 2024.04.00.00
01.04.24	2.10.2	Updated vLCM support information for Gen11 Patch Bundle version 2023.04.00.05.
12.04.23	2.10.1	Added iLO Amplifier HSM depreciation information and added CA reference. Updated vLCM support information for Gen10 Patch Bundle version 2023.09.00.01. Added vSAN support information starting with Gen11 SPP 2023.10.00.00 and Gen10 Patch Bundle version 2023.09.00.01 releases. For previously released vSAN support, refer to VCG.
11.07.23	2.10	Added VMware vSphere 7.0 U3 November 2023 HPE Custom Image which includes 7.0 U3o Added VMware vSphere 8.0 U2 November 2023 HPE Custom Image Added Gen11 SPP 2023.10.00.00 Added Gen10 Patch Bundle version 2023.09.00.01
09.21.23	2.09	Added VMware vSphere 8.0 U2 September 2023 HPE Custom Image
09.14.23	2.08	Added VMware vSphere 7.0 U3 September 2023 HPE Custom Image which includes 7.0 U3n Added VMware vSphere 8.0 U1 September 2023 HPE Custom Image which includes 8.0a Added Gen11 Patch Bundle version 2023.04.00.05 Added Gen10 SPP 2023.09.00.00
08.08.23	2.07	Added VMware vSphere 8.0 U1 Aug 2023 HPE Custom Image which includes 8.0 U1a Added VMware vSphere 8.0 Aug 2023 HPE Custom Image which includes 8.0b

06.20.23	2.06	Added VMware vSphere 8.0 U1 June 2023 HPE Custom Image which includes 8.0 U1a
04.18.23	2.05	Added VMware vSphere 8.0 U1 April 2023 HPE Custom Image
04.11.23	2.04	Added VMware vSphere 7.0 U3 April 2023 HPE Custom Image which includes 7.0 U3i Added VMware vSphere 8.0 April 2023 HPE Custom Image which includes 8.0b Added Gen11 SPP 2023.04.00.00 Added Gen10 SPP 2023.03.00.00
2/21/2023	2.03.1	Updated notes regarding OneView HSM (OV4VC) support.
2/21/2023	2.03	Added VMware vSphere 7.0 U3 February 2023 HPE Custom Image Added VMware vSphere 8.0 February 2023 HPE Custom Image which includes 8.0a Added Gen11 SPP 2023.02.0 Added Gen10 Patch Bundle 2 Supplement
12/20/2022	2.02	Added VMware vSphere 7.0 U3 December 2022 HPE Custom Image which includes 7.0 U3i Added VMware vSphere 8.0 December 2022 HPE Custom Image Added Gen11 SPP 2022.12.0 Added Gen10 Patch Bundle 1 Supplement
11/30/2022	2.01.2	Updated notes regarding OneView HSM support for 2022.09.01 and added CA reference.
10/25/2022	2.01.1	Fix various links
10/20/2022	2.01	Added VMware vSphere 7.0 U3 October 2022 HPE Custom Image 2022.03.0 replaced by 22.03.1 Gen9SPPGen90.19 replaced by Gen9.1 Restored information for the last 6.5 U3 release.
10/11/2022	2.00	Added VMware vSphere 8.0 IA release Added SPP 2022.09.01 Removed information on all VMware vSphere 6.5 releases, VMware vSphere 6.7, 6.7 U1 and 6.7 U2 releases.
07/25/2022	1.96	Replaced SPP 2021.10.0 with 2021.10.1

06.28.2022	1.95	Added VMware vSphere 7.0 U3f release
05.18.2022	1.94.1	Add references to April 2022 Gen9 SPP as Gen9SPPGen90.19, not Gen9 2022.03.0. Fix references to latest April 6.7 U3 to 2022, not 2021.
04.06.2022	1.94	Added March 2022 MSB Added VMware vSphere 7.0 U3d release 2021.04.0 replaced by 2021.04.1 2021.05.0 replaced by 2021.05.1 2020.09.2 replaced by 2020.09.3 2020.03.0 replaced by 2020.03.3
01.28.2022	1.93	Fixed link to 7.0 U3c OS release notes.
01.27.2022	1.92	Added VMware vSphere 7.0 U3c OS release Removed information for previously released VMware vSphere 7.0 U3 and VUP 1.4.3 as VMware pulled all content for these releases.
11.30.2021	1.91	Added November 6.7 U3 (P06) HPE Custom Image Fixed 6.7 U3 and 6.5 U3 footnotes documenting supported HPE ProLiant Blade driver versions
10.26.2021	1.90	Added October 26 2021 6.5 U3, 6.7 U3 and 7.0 U3 HPE Custom Images Added SPP 2021.10.0 Added information and links for OneView HSM
10.18.2021	1.81	Fix footnote 14 for VMware vSphere 7.0 U3 OS release
10.05.2021	1.80	Added VMware vSphere 7.0 U3 OS release Added VUP 1.4.3
08.19.2021	1.71	VUP 1.1A replaced by VUP 1.1.2 VUP 1.2 replaced by VUP 1.2.1 VUP 1.2A replaced by VUP 1.2.2 VUP 1.3 replaced by 1.3.1
07.06.2021	1.70	Added VUP 1.4.1.1

06.16.2021	1.60	Added VUP 1.4.2.1
05.21.2021	1.52	Added 2021.05.0 SPP section
05.18.2021	1.51	Added missing 2021.04.0 SPP section
05.04.2021	1.50	Added May 2021 6.5 U3, 6.7 U3, 7.0 U1 and 7.0 U2 HPE Custom Images Added VUP 1.4.1 and VUP 1.4.2
03.02.2021	1.40	Added VMware vSphere 7.0 U2 OS release Added VUP 1.3
01.19.2021	1.33	Added January 2021 6.5 U3, 6.7 U3 and 7.0 U1 HPE Custom Images Added VUP 1.2A Fixed links to older SPPs 2019.03.1 replaced by 2019.03.2 2018.11.0 replaced by 2018.11.1 2018.09.0 replaced by 2018.09.1 2018.06.0 replaced by 2018.06.1
11.12.2020	1.32	Fix versions of 7.0 U1 OS release. Adjust footnote formatting.
10.07.2020	1.31	Renamed all MSB to SPP.
10.05.2020	1.30	Added 2020.09.0 SPP Added VUP 1.2 Add notes for software and driver version differences between 2020.09.0 SPP and 7.0 U1, 6.7 U3 and 6.5 U3 HPE Custom Images Added VMware vSphere 7.0 U1 OS release Remove ESXi 5.5 and 6.0 OS release tables and references.
08.24.2020	1.20.6	Replaced VUP 1.1 with VUP 1.1A. VUP 1.0 superseded by VUP 1.1A SPP 2020.03.0 superseded by SPP 2020.03.2 SPP 2019.12.0 superseded by SPP 2019.12.2 SPP 2019.09.0 superseded by SPP 2019.09.1

07.02.2020	1.20.5	Added note for Gen9 support for June release of 7.0 HPE Custom Image with March 2020 MSB
06.23.2020	1.20.4	Added VUP 1.1 and June release of 7.0 HPE Custom Image Added links to VMware documentation for vLCM
04.20.2020	1.20.3	Added link to HPE vLCM Plug-in HSM, new section for VUP 1.0 and referenced VUP 1.0 in 7.0 OS release.
04.14.2020	1.20.2	Added VMware vSphere 7.0 OS release and links to HPE Custom Image and Add-on Fix nhpsa vSAN certification footnotes for 6.7 U3 and 6.5 U3 OS tables.
04.03.2020	1.20.1	Updated links for HPE Custom Image and Add-on – Document superseded by 1.20.2
04.02.2020	1.20	Added VMware vSphere 7.0 OS release – Document superseded by 1.20.2
03.19.2020	1.19.1	Added footnote to March 2020 MSB 6.5 U3 and 6.7 U3 HPE Custom Image releases referencing updated qlnativefc driver and associated CA and stating that Integrated Smart Update Tool was included in the image.
03.09.2020	1.19	Added March 2020 MSB
02.04.2020	1.18.2	Added Gen9 Smart Array Controller FW footnote to 2019.12.0 references in 6.7 U3 and 6.5 U3 releases.
01.07.2020	1.18.1	Fixed reference to August 29, 2019 VMware vSphere 6.5 U3 release vibsdepot download directory.
12.20.2019	1.18	Added 2019.12.0 SPP

09.09.2019	1.17	Added September 2019 MSB, September 2019 HPE Custom Image for 6.0 U3 and support for September 2019 MSB to 6.0 U3, 6.5 U3 and 6.7 U3
09.03.2019	1.16.2	Removed note stating certain NICs are not supported on new EPYC processors.
08.29.2019	1.16.1	Added new VMware vSphere 6.5 U3 and added note to VMware vSphere 6.7 U3 to support 2nd Gen AMD EPYC processor drop-in on Gen10 servers.
08.20.2019	1.16	Added VMware vSphere 6.7 U3.
06.27.2019	1.15	Added VMware vSphere 6.5 U3. Restored Synergy links
06.05.2019	1.14.1	Removed reference to Synergy links
04.26.2019	1.14	Added 2019.03.1 SPP
4.18.2019	1.13.1	Added 6.7 U2 to 2019.03.0 SPP table
04.11.2019	1.13	Added VMware vSphere 6.7 U2.
04.02.2019	1.12.1	Added note related to nhpsa driver for Gen9 on 6.5 U2 and 6.7U1.
04.01.2019	1.12	Added 2019.03.0 SPP

2.08.2019	1.11.3	Added new version of 6.0 U3 HPE Custom Image. Added note 2018.03.0 SPP and newer now includes HPE value-add software.
12.03.2018	1.11.2	Added reference to Synergy and Superdome links.
11.28.2018	1.11.1	Clarified how to update previously released HPE Custom Images to newer SPPs
11.27.2018	1.11	Added 2018.11.0 Supplement SPP.
10.04.2018	1.10	Added VMware vSphere 6.7 U1.
09.27.2018	1.9	Added 2018.09.0 MSB and September 2018 HPE Custom Images for 6.0 U3, 6.5 U2 and 6.7.
06.26.2018	1.8	Fixed dates of June 2018 HPE Custom Images for 6.0 U3, 6.5 U2 and 6.7. Clarifications and change HPE SPP to SPP.
06.12.2018	1.7	Added 12 June 2018 HPE Custom Images for 6.0 U3, 6.5 U2 6.7 and associated vibsdepot directories. Added 2018.06.0 SPP.
05.10.2018	1.6	Update vibsdepot directory for 6.5 U2 OS release.
05.04.2018	1.5	Added VMware vSphere 6.5 U2
04.17.2018	1.4	Added VMware vSphere 6.7 Add links to SPP downloads and documentation Add SPP online driver update for 2017.7.2 and 2017.10.1 Add SPP online driver and SW update for 2018.03.0

02.05.2018	1.3	Added 2018.03.0 SPP Added Feb 5 2018 HPE Custom Images for 6.5 U1 and 6.0 U3 and associated vibsdepot directories
11.27.2017	1.2	Fix 5.5 U3 table to list 2017.04.0 SPP as supported with December HPE Custom Image
10.26.2017	1.1	Added 2017.10.1 SPP Added Oct 26 HPE Custom Images for 6.5 U1, 6.5 and 6.0 U3 and associated vibsdepot directories
10.06.2017	1.0	Initial version

Get connected

hpe.com/info/getconnected

Current HPE driver, support, and security alerts
delivered directly to your desktop

© Copyright 2025 Hewlett Packard Enterprise Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HPE products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HPE shall not be liable for technical or editorial errors or omissions contained herein.